

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

2005BS

05LEC

05LORS

06LORS

07LORS

Inflows

Rainfall	1667.00(48.0%)	1667.00(48.0%)	1667.00(48.0%)	1667.00(48.0%)	1667.00(48.0%)
MDS_NET	284.20(8.2%)	284.20(8.2%)	284.20(8.2%)	284.20(8.2%)	284.20(8.2%)
Kissimmee_Inflows	983.90(28.4%)	983.90(28.4%)	983.90(28.3%)	983.90(28.3%)	983.90(28.3%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(4.0%)	137.62(4.0%)	137.62(4.0%)	137.62(4.0%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	66.02(1.9%)	66.02(1.9%)	66.57(1.9%)	66.03(1.9%)	65.91(1.9%)
Caloos_Backflows	5.38(0.2%)	5.38(0.2%)	5.72(0.2%)	5.38(0.2%)	5.73(0.2%)
Eaa_Back_Pumping	53.71(1.5%)	53.71(1.5%)	53.65(1.5%)	53.66(1.5%)	53.61(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	57.94(1.7%)	57.94(1.7%)	58.45(1.7%)	58.36(1.7%)	58.22(1.7%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)
Other_Inflows	71.60(2.1%)	71.60(2.1%)	71.69(2.1%)	71.57(2.1%)	71.60(2.1%)
Total	3470.21(100.0%)	3470.21(100.0%)	3471.63(100.0%)	3470.56(100.0%)	3470.62(100.0%)

Outflows

ET	2139.50(61.2%)	2139.50(61.2%)	2138.00(61.1%)	2140.10(61.2%)	2139.80(61.2%)
StLucie_Regulatory	141.54(4.0%)	141.54(4.0%)	137.08(3.9%)	143.65(4.1%)	143.32(4.1%)
StLucie_Ag_Dmds	26.97(0.8%)	26.97(0.8%)	26.96(0.8%)	26.98(0.8%)	26.99(0.8%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	390.56(11.2%)	390.56(11.2%)	379.73(10.9%)	393.78(11.3%)	392.79(11.2%)
Caloos_Ag_Dmds	117.11(3.3%)	117.11(3.3%)	117.03(3.3%)	117.09(3.3%)	117.08(3.3%)
Caloos_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	60.48(1.7%)	60.48(1.7%)	80.64(2.3%)	53.58(1.5%)	53.94(1.5%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	334.59(9.6%)	334.59(9.6%)	334.35(9.6%)	334.61(9.6%)	335.37(9.6%)
Water_Supp_to_LEC	28.89(0.8%)	28.89(0.8%)	29.33(0.8%)	30.45(0.9%)	31.09(0.9%)
Water_Supp_Glades	1.50(0.0%)	1.50(0.0%)	1.65(0.0%)	1.57(0.0%)	1.63(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.35(0.1%)	2.35(0.1%)	2.36(0.1%)	2.35(0.1%)
L8_Basin_Ag_Dmds	114.30(3.3%)	114.30(3.3%)	112.55(3.2%)	114.36(3.3%)	114.19(3.3%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.51(4.0%)	138.51(4.0%)	138.01(3.9%)	138.33(4.0%)	138.40(4.0%)
Total	3496.30(100.0%)	3496.30(100.0%)	3497.66(100.0%)	3496.87(100.0%)	3496.94(100.0%)

SW_Storage_Change
RESIDUAL

-25.50(-0.7%)
-0.59(-0.0%)

-25.50(-0.7%)

-25.50(-0.7%)

-25.80(-0.7%)

-25.80(-0.7%)

-0.53(-0.0%)

-0.51(-0.0%)

-0.52(-0.0%)