

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	2005BS	05LEC	05LORS	06LORS	07LORS
Inflows					

Rainfall	1421.68(61.3%)	1421.68(61.3%)	1421.68(61.3%)	1421.68(61.4%)	1421.68(61.3%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(21.0%)	485.64(21.0%)	485.64(20.9%)	485.64(21.0%)	485.64(21.0%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.7%)	84.87(3.7%)	84.87(3.7%)	84.87(3.7%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.46(4.6%)	105.46(4.6%)	105.48(4.5%)	105.38(4.5%)	105.42(4.5%)
Caloos_Backflows	14.48(0.6%)	14.48(0.6%)	16.35(0.7%)	14.24(0.6%)	14.86(0.6%)
Eaa_Back_Pumping	46.99(2.0%)	46.99(2.0%)	46.82(2.0%)	47.04(2.0%)	46.81(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	68.90(3.0%)	68.90(3.0%)	68.71(3.0%)	69.13(3.0%)	69.18(3.0%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(3.0%)	69.10(3.0%)	69.10(3.0%)	69.10(3.0%)
Other_Inflows	62.32(2.7%)	62.32(2.7%)	62.45(2.7%)	62.21(2.7%)	62.25(2.7%)
Total	2317.42(100.0%)	2317.42(100.0%)	2319.09(100.0%)	2317.28(100.0%)	2317.80(100.0%)
Outflows					

ET	2119.30(68.8%)	2119.30(68.8%)	2116.98(68.6%)	2122.58(68.4%)	2121.72(68.4%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	40.31(1.3%)	40.31(1.3%)	40.27(1.3%)	40.31(1.3%)	40.31(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.41(0.1%)	3.41(0.1%)	3.40(0.1%)	3.41(0.1%)	3.41(0.1%)
Caloos_Ag_Dmds	169.02(5.5%)	169.02(5.5%)	168.84(5.5%)	168.99(5.4%)	168.96(5.4%)
Caloos_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	9.52(0.3%)	9.52(0.3%)	12.72(0.4%)	15.45(0.5%)	13.22(0.4%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	400.15(13.0%)	400.15(13.0%)	399.47(12.9%)	399.82(12.9%)	399.81(12.9%)
Water_Supp_to_LEC	97.56(3.2%)	97.56(3.2%)	101.34(3.3%)	107.38(3.5%)	108.45(3.5%)
Water_Supp_Glades	5.93(0.2%)	5.93(0.2%)	6.88(0.2%)	6.49(0.2%)	6.55(0.2%)
Water_Supp_to_STAs	3.01(0.1%)	3.01(0.1%)	3.02(0.1%)	2.99(0.1%)	2.99(0.1%)
L8_Basin_Ag_Dmds	61.06(2.0%)	61.06(2.0%)	59.86(1.9%)	63.30(2.0%)	62.54(2.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.41(5.6%)	172.41(5.6%)	172.08(5.6%)	172.23(5.6%)	172.42(5.6%)
Total	3081.68(100.0%)	3081.68(100.0%)	3084.86(100.0%)	3102.94(100.0%)	3100.37(100.0%)
SW_Storage_Change	-764.32(-33.0%)	-764.32(-33.0%)	-765.84(-33.0%)	-785.68(-33.9%)	-782.62(-33.8%)
RESIDUAL	0.06(0.0%)	0.06(0.0%)	0.07(0.0%)	0.02(0.0%)	0.05(0.0%)