

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

\*\*\*\*\*

07LORS

1b-T3

T3exSSM

Inflows					
	07LORS	1b-T3	T3exSSM		
Rainfall	1667.00( 48.0%)	1667.00( 47.9%)	1667.00( 48.0%)	0.00( 0.0%)	0.00( 0.0%)
MDS_NET	284.20( 8.2%)	284.20( 8.2%)	284.20( 8.2%)	0.00( 0.0%)	0.00( 0.0%)
Kissimmee_Inflows	983.90( 28.3%)	983.90( 28.3%)	983.90( 28.3%)	0.00( 0.0%)	0.00( 0.0%)
TaylorCrk_Inflows	137.62( 4.0%)	137.62( 4.0%)	137.62( 4.0%)	0.00( 0.0%)	0.00( 0.0%)
TayCrkRes_Inflows	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
ASR_To_LOK	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Backflows	65.42( 1.9%)	38.09( 1.1%)	37.60( 1.1%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Backflows	8.45( 0.2%)	18.43( 0.5%)	15.06( 0.4%)	0.00( 0.0%)	0.00( 0.0%)
Eaa_Back_Pumping	53.49( 1.5%)	53.45( 1.5%)	52.90( 1.5%)	0.00( 0.0%)	0.00( 0.0%)
C43_Reservoir	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
C44_Reservoir	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
North_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
L8_Backflows	59.10( 1.7%)	77.20( 2.2%)	78.13( 2.2%)	0.00( 0.0%)	0.00( 0.0%)
S309_Backflows	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
UpIstokp_Inflows	142.83( 4.1%)	142.83( 4.1%)	142.83( 4.1%)	0.00( 0.0%)	0.00( 0.0%)
Other_Inflows	71.94( 2.1%)	76.03( 2.2%)	74.94( 2.2%)	0.00( 0.0%)	0.00( 0.0%)
Total	3473.96(100.0%)	3478.75(100.0%)	3474.19(100.0%)	0.00( 0.0%)	0.00( 0.0%)
Outflows					
ET	2136.20( 61.0%)	2091.00( 59.4%)	2094.50( 59.6%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Regulatory	141.95( 4.1%)	145.32( 4.1%)	150.09( 4.3%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Ag_Dmds	26.86( 0.8%)	27.11( 0.8%)	25.17( 0.7%)	0.00( 0.0%)	0.00( 0.0%)
StLuci_Estuary_Min	0.00( 0.0%)	19.45( 0.6%)	19.78( 0.6%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Regulatory	381.50( 10.9%)	377.77( 10.7%)	387.72( 11.0%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Ag_Dmds	116.59( 3.3%)	117.29( 3.3%)	109.95( 3.1%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Estuary_Min	0.00( 0.0%)	40.37( 1.1%)	40.83( 1.2%)	0.00( 0.0%)	0.00( 0.0%)
Reg_to_EAA_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Regulatory_to_Wcas	59.14( 1.7%)	58.58( 1.7%)	59.54( 1.7%)	0.00( 0.0%)	0.00( 0.0%)
Exc_Wat_StLuc_Res	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Exc_Wat_Caloo_Res	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_EAA	332.56( 9.5%)	333.80( 9.5%)	315.38( 9.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_LEC	41.57( 1.2%)	27.67( 0.8%)	35.49( 1.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_Glades	3.35( 0.1%)	2.69( 0.1%)	3.13( 0.1%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_STAs	2.65( 0.1%)	2.50( 0.1%)	2.35( 0.1%)	0.00( 0.0%)	0.00( 0.0%)
Reg_L8_Tide	77.28( 2.2%)	100.33( 2.9%)	103.61( 2.9%)	0.00( 0.0%)	0.00( 0.0%)
L8_Basin_Ag_Dmds	39.80( 1.1%)	35.00( 1.0%)	30.92( 0.9%)	0.00( 0.0%)	0.00( 0.0%)
North_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
LOK_To_ASR	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Other_Outflows	140.75( 4.0%)	140.79( 4.0%)	134.10( 3.8%)	0.00( 0.0%)	0.00( 0.0%)
Total	3500.21(100.0%)	3519.66(100.0%)	3512.56(100.0%)	0.00( 0.0%)	0.00( 0.0%)
SW_Storage_Change	-25.70( -0.7%)	-40.30( -1.2%)	-37.80( -1.1%)	0.00( 0.0%)	0.00( 0.0%)
RESIDUAL	-0.55( -0.0%)	-0.61( -0.0%)	-0.57( -0.0%)	0.00( 0.0%)	0.00( 0.0%)