

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	alt1aS2	albS2-A	a2a-A	a4-A
Inflows					

Rainfall	1421.68(61.3%)	1421.68(60.5%)	1421.68(60.2%)	1421.68(59.7%)	1421.68(59.8%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(21.0%)	485.64(20.7%)	485.64(20.6%)	485.64(20.4%)	485.64(20.4%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.42(4.5%)	105.98(4.5%)	105.98(4.5%)	104.52(4.4%)	105.98(4.5%)
Caloos_Backflows	14.86(0.6%)	41.62(1.8%)	48.36(2.0%)	63.11(2.6%)	57.98(2.4%)
Eaa_Back_Pumping	46.81(2.0%)	46.80(2.0%)	46.71(2.0%)	46.64(2.0%)	47.52(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.18(3.0%)	72.21(3.1%)	74.40(3.2%)	80.83(3.4%)	78.05(3.3%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	62.25(2.7%)	65.54(2.8%)	66.27(2.8%)	67.40(2.8%)	67.79(2.9%)
Total	2317.80(100.0%)	2351.42(100.0%)	2361.00(100.0%)	2381.77(100.0%)	2376.59(100.0%)
Outflows					

ET	2121.72(68.4%)	2066.42(65.5%)	2047.60(66.1%)	2006.84(69.2%)	2019.46(68.2%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	2.87(0.1%)	0.00(0.0%)
StLucie_Ag_Dmds	40.31(1.3%)	40.77(1.3%)	39.64(1.3%)	37.49(1.3%)	38.22(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.41(0.1%)	3.24(0.1%)	3.10(0.1%)	2.94(0.1%)	2.99(0.1%)
Caloos_Ag_Dmds	168.96(5.4%)	170.04(5.4%)	167.33(5.4%)	157.90(5.4%)	161.71(5.5%)
Caloos_Estuary_Min	0.00(0.0%)	56.27(1.8%)	52.09(1.7%)	22.03(0.8%)	31.26(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	13.22(0.4%)	41.31(1.3%)	37.83(1.2%)	7.00(0.2%)	29.86(1.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.81(12.9%)	395.37(12.5%)	390.52(12.6%)	369.10(12.7%)	381.39(12.9%)
Water_Supp_to_LEC	108.45(3.5%)	75.68(2.4%)	74.72(2.4%)	65.77(2.3%)	75.05(2.5%)
Water_Supp_Glades	6.55(0.2%)	3.55(0.1%)	3.88(0.1%)	5.47(0.2%)	5.60(0.2%)
Water_Supp_to_STAs	2.99(0.1%)	2.79(0.1%)	2.77(0.1%)	2.48(0.1%)	2.83(0.1%)
L8_Basin_Ag_Dmds	62.54(2.0%)	127.76(4.0%)	109.19(3.5%)	62.62(2.2%)	48.55(1.6%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.42(5.6%)	172.36(5.5%)	168.91(5.5%)	158.33(5.5%)	162.38(5.5%)
Total	3100.37(100.0%)	3155.55(100.0%)	3097.57(100.0%)	2900.83(100.0%)	2959.29(100.0%)
SW_Storage_Change	-782.62(-33.8%)	-804.14(-34.2%)	-736.58(-31.2%)	-519.10(-21.8%)	-582.76(-24.5%)
RESIDUAL	0.05(0.0%)	0.01(0.0%)	0.01(0.0%)	0.04(0.0%)	0.06(0.0%)