

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

	07LORS	altla	altlaS1	altlaS2	alt2a
--	--------	-------	---------	---------	-------

Inflows					
	07LORS	altla	altlaS1	altlaS2	alt2a
Rainfall	1667.00(48.0%)	1667.00(47.7%)	1667.00(47.6%)	1667.00(47.6%)	1667.00(47.3%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.2%)	983.90(28.1%)	983.90(28.1%)	983.90(27.9%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	65.91(1.9%)	71.88(2.1%)	73.43(2.1%)	74.56(2.1%)	81.28(2.3%)
Caloos_Backflows	5.73(0.2%)	11.25(0.3%)	12.35(0.4%)	13.74(0.4%)	18.29(0.5%)
Eaa_Back_Pumping	53.61(1.5%)	53.35(1.5%)	53.36(1.5%)	53.36(1.5%)	53.17(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.22(1.7%)	68.22(2.0%)	69.62(2.0%)	70.99(2.0%)	82.98(2.4%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.0%)
Other_Inflows	71.60(2.1%)	73.94(2.1%)	74.40(2.1%)	74.77(2.1%)	75.46(2.1%)
Total	3470.62(100.0%)	3494.20(100.0%)	3498.71(100.0%)	3502.98(100.0%)	3526.73(100.0%)

Outflows					
	07LORS	altla	altlaS1	altlaS2	alt2a
ET	2139.80(61.2%)	2113.90(59.8%)	2108.70(59.6%)	2104.50(59.4%)	2084.60(58.5%)
StLucie_Regulatory	143.32(4.1%)	138.60(3.9%)	137.01(3.9%)	135.11(3.8%)	186.10(5.2%)
StLucie_Ag_Dmds	26.99(0.8%)	27.44(0.8%)	27.21(0.8%)	27.02(0.8%)	26.48(0.7%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	392.79(11.2%)	401.86(11.4%)	396.95(11.2%)	392.08(11.1%)	436.49(12.2%)
Caloos_Ag_Dmds	117.08(3.3%)	118.63(3.4%)	117.90(3.3%)	117.37(3.3%)	114.93(3.2%)
Caloos_Estuary_Min	0.00(0.0%)	33.66(1.0%)	45.91(1.3%)	54.90(1.6%)	39.43(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	53.94(1.5%)	60.15(1.7%)	59.64(1.7%)	60.45(1.7%)	58.17(1.6%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.37(9.6%)	336.72(9.5%)	335.08(9.5%)	333.36(9.4%)	329.45(9.2%)
Water_Supp_to_LEC	31.09(0.9%)	24.22(0.7%)	21.29(0.6%)	20.11(0.6%)	18.88(0.5%)
Water_Supp_Glades	1.63(0.0%)	1.43(0.0%)	1.14(0.0%)	0.94(0.0%)	1.34(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.38(0.1%)	2.38(0.1%)	2.36(0.1%)	2.30(0.1%)
L8_Basin_Ag_Dmds	114.19(3.3%)	134.97(3.8%)	146.14(4.1%)	156.51(4.4%)	133.80(3.8%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASR	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.40(4.0%)	139.01(3.9%)	138.17(3.9%)	137.17(3.9%)	134.11(3.8%)
Total	3496.94(100.0%)	3532.98(100.0%)	3537.53(100.0%)	3541.90(100.0%)	3566.07(100.0%)
SW_Storage_Change	-25.80(-0.7%)	-38.20(-1.1%)	-38.30(-1.1%)	-38.30(-1.1%)	-38.80(-1.1%)
RESIDUAL	-0.52(-0.0%)	-0.58(-0.0%)	-0.52(-0.0%)	-0.62(-0.0%)	-0.54(-0.0%)