

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS albS2-A albS2-m alt2a-B alt2a-m

Inflows

	07LORS	albS2-A	albS2-m	alt2a-B	alt2a-m

Rainfall	1667.00(48.0%)	1667.00(47.5%)	1667.00(47.4%)	1667.00(47.2%)	1667.00(47.3%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.0%)	284.20(8.1%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.0%)	983.90(28.0%)	983.90(27.9%)	983.90(27.9%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	66.11(1.9%)	76.13(2.2%)	77.07(2.2%)	85.69(2.4%)	67.91(1.9%)
Caloos_Backflows	5.96(0.2%)	15.60(0.4%)	16.04(0.5%)	18.02(0.5%)	21.41(0.6%)
Eaa_Back_Pumping	53.53(1.5%)	53.33(1.5%)	53.38(1.5%)	53.20(1.5%)	53.05(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.34(1.7%)	76.10(2.2%)	76.80(2.2%)	82.63(2.3%)	88.77(2.5%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.0%)	142.83(4.1%)
Other_Inflows	71.67(2.1%)	75.06(2.1%)	75.12(2.1%)	75.37(2.1%)	76.82(2.2%)
Total	3471.18(100.0%)	3511.78(100.0%)	3513.96(100.0%)	3530.47(100.0%)	3523.52(100.0%)

Outflows

	07LORS	albS2-A	albS2-m	alt2a-B	alt2a-m

ET	2139.10(61.2%)	2097.20(59.1%)	2096.10(59.0%)	2085.80(58.4%)	2070.40(58.1%)
StLucie_Regulatory	141.84(4.1%)	135.37(3.8%)	138.08(3.9%)	181.37(5.1%)	192.41(5.4%)
StLucie_Ag_Dmds	26.96(0.8%)	26.83(0.8%)	26.78(0.8%)	26.54(0.7%)	26.17(0.7%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	389.88(11.1%)	418.77(11.8%)	421.18(11.9%)	440.43(12.3%)	463.28(13.0%)
Caloos_Ag_Dmds	117.00(3.3%)	116.60(3.3%)	116.44(3.3%)	115.06(3.2%)	113.73(3.2%)
Caloos_Estuary_Min	0.00(0.0%)	53.98(1.5%)	54.04(1.5%)	39.84(1.1%)	30.70(0.9%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	60.58(1.7%)	59.77(1.7%)	59.26(1.7%)	59.35(1.7%)	55.66(1.6%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.17(9.6%)	332.35(9.4%)	331.93(9.3%)	329.88(9.2%)	326.17(9.1%)
Water_Supp_to_LEC	30.99(0.9%)	19.54(0.6%)	19.58(0.6%)	18.72(0.5%)	17.52(0.5%)
Water_Supp_Glades	1.58(0.0%)	1.02(0.0%)	0.97(0.0%)	1.39(0.0%)	1.23(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.36(0.1%)	2.35(0.1%)	2.31(0.1%)	2.24(0.1%)
L8_Basin_Ag_Dmds	113.77(3.3%)	151.24(4.3%)	150.58(4.2%)	134.79(3.8%)	132.47(3.7%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.18(4.0%)	136.26(3.8%)	136.01(3.8%)	134.28(3.8%)	132.80(3.7%)
Total	3497.40(100.0%)	3551.28(100.0%)	3553.30(100.0%)	3569.74(100.0%)	3564.76(100.0%)

SW_Storage_Change	-25.70(-0.7%)	-39.00(-1.1%)	-38.70(-1.1%)	-38.70(-1.1%)	-40.60(-1.2%)
RESIDUAL	-0.52(-0.0%)	-0.50(-0.0%)	-0.64(-0.0%)	-0.57(-0.0%)	-0.64(-0.0%)