

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	a1bS2-A	a1bS2-m	alt2a-B	alt2a-m
Inflows					

Rainfall	1421.68(61.3%)	1421.68(60.2%)	1421.68(60.2%)	1421.68(59.7%)	1421.68(59.5%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.9%)	485.64(20.6%)	485.64(20.6%)	485.64(20.4%)	485.64(20.3%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.5%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.46(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.4%)	105.98(4.4%)
Caloos_Backflows	16.25(0.7%)	48.36(2.0%)	49.67(2.1%)	62.26(2.6%)	70.04(2.9%)
Eaa_Back_Pumping	46.71(2.0%)	46.71(2.0%)	46.89(2.0%)	46.61(2.0%)	46.26(1.9%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.02(3.0%)	74.40(3.2%)	74.36(3.1%)	80.07(3.4%)	82.00(3.4%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	62.23(2.7%)	66.27(2.8%)	66.40(2.8%)	67.49(2.8%)	67.50(2.8%)
Total	2318.95(100.0%)	2361.00(100.0%)	2362.57(100.0%)	2381.69(100.0%)	2391.05(100.0%)
Outflows					

ET	2119.74(68.5%)	2047.60(66.1%)	2045.44(66.2%)	2008.82(69.2%)	1993.80(70.2%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	40.27(1.3%)	39.64(1.3%)	39.36(1.3%)	37.50(1.3%)	35.87(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.40(0.1%)	3.10(0.1%)	3.08(0.1%)	2.95(0.1%)	2.87(0.1%)
Caloos_Ag_Dmds	168.81(5.5%)	167.33(5.4%)	166.29(5.4%)	158.20(5.4%)	152.82(5.4%)
Caloos_Estuary_Min	0.00(0.0%)	52.09(1.7%)	52.26(1.7%)	22.75(0.8%)	21.21(0.7%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	12.28(0.4%)	37.83(1.2%)	38.05(1.2%)	7.70(0.3%)	0.00(0.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.40(12.9%)	390.52(12.6%)	387.94(12.6%)	370.33(12.7%)	355.83(12.5%)
Water_Supp_to_LEC	106.37(3.4%)	74.72(2.4%)	75.35(2.4%)	65.00(2.2%)	66.00(2.3%)
Water_Supp_Glades	6.34(0.2%)	3.88(0.1%)	3.64(0.1%)	5.55(0.2%)	4.68(0.2%)
Water_Supp_to_STAs	2.98(0.1%)	2.77(0.1%)	2.71(0.1%)	2.50(0.1%)	2.26(0.1%)
L8_Basin_Ag_Dmds	61.85(2.0%)	109.19(3.5%)	108.88(3.5%)	64.77(2.2%)	50.24(1.8%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.03(5.6%)	168.91(5.5%)	167.23(5.4%)	158.55(5.5%)	153.36(5.4%)
Total	3093.47(100.0%)	3097.57(100.0%)	3090.23(100.0%)	2904.62(100.0%)	2838.94(100.0%)
SW_Storage_Change	-774.56(-33.4%)	-736.58(-31.2%)	-727.68(-30.8%)	-522.96(-22.0%)	-447.92(-18.7%)
RESIDUAL	0.04(0.0%)	0.01(0.0%)	0.02(0.0%)	0.03(0.0%)	0.03(0.0%)