

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS albS2-m mexSSM albS2mD1 mDlexSSM

Inflows

	07LORS	albS2-m	mexSSM	albS2mD1	mDlexSSM

Rainfall	1667.00(48.0%)	1667.00(47.4%)	1667.00(47.5%)	1667.00(47.4%)	1667.00(47.5%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.0%)	983.90(28.0%)	983.90(28.0%)	983.90(28.0%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	66.11(1.9%)	77.07(2.2%)	76.38(2.2%)	77.87(2.2%)	76.98(2.2%)
Caloos_Backflows	5.96(0.2%)	16.04(0.5%)	13.25(0.4%)	16.55(0.5%)	13.79(0.4%)
Eaa_Back_Pumping	53.53(1.5%)	53.38(1.5%)	52.99(1.5%)	53.39(1.5%)	52.99(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.34(1.7%)	76.80(2.2%)	77.50(2.2%)	77.58(2.2%)	78.40(2.2%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)
Other_Inflows	71.67(2.1%)	75.12(2.1%)	74.40(2.1%)	75.25(2.1%)	74.52(2.1%)
Total	3471.18(100.0%)	3513.96(100.0%)	3510.08(100.0%)	3516.20(100.0%)	3512.24(100.0%)

Outflows

	07LORS	albS2-m	mexSSM	albS2mD1	mDlexSSM

ET	2139.10(61.2%)	2096.10(59.0%)	2098.90(59.2%)	2094.60(58.9%)	2097.60(59.1%)
StLucie_Regulatory	141.84(4.1%)	138.08(3.9%)	139.69(3.9%)	138.09(3.9%)	139.75(3.9%)
StLucie_Ag_Dmds	26.96(0.8%)	26.78(0.8%)	25.12(0.7%)	26.78(0.8%)	25.11(0.7%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	389.88(11.1%)	421.18(11.9%)	427.35(12.0%)	427.16(12.0%)	434.00(12.2%)
Caloos_Ag_Dmds	117.00(3.3%)	116.44(3.3%)	109.97(3.1%)	116.37(3.3%)	109.88(3.1%)
Caloos_Estuary_Min	0.00(0.0%)	54.04(1.5%)	56.84(1.6%)	53.62(1.5%)	55.84(1.6%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	60.58(1.7%)	59.26(1.7%)	59.73(1.7%)	58.70(1.7%)	59.02(1.7%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.17(9.6%)	331.93(9.3%)	323.23(9.1%)	331.75(9.3%)	323.06(9.1%)
Water_Supp_to_LEC	30.99(0.9%)	19.58(0.6%)	22.80(0.6%)	19.67(0.6%)	22.75(0.6%)
Water_Supp_Glades	1.58(0.0%)	0.97(0.0%)	1.18(0.0%)	1.01(0.0%)	1.16(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.35(0.1%)	2.11(0.1%)	2.35(0.1%)	2.10(0.1%)
L8_Basin_Ag_Dmds	113.77(3.3%)	150.58(4.2%)	149.09(4.2%)	149.66(4.2%)	148.25(4.2%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASR	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.18(4.0%)	136.01(3.8%)	131.26(3.7%)	135.92(3.8%)	131.11(3.7%)
Total	3497.40(100.0%)	3553.30(100.0%)	3547.25(100.0%)	3555.67(100.0%)	3549.64(100.0%)

SW_Storage_Change	-25.70(-0.7%)	-38.70(-1.1%)	-36.60(-1.0%)	-38.90(-1.1%)	-36.80(-1.0%)
RESIDUAL	-0.52(-0.0%)	-0.64(-0.0%)	-0.57(-0.0%)	-0.57(-0.0%)	-0.60(-0.0%)