

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	a1bS2-m	mexSSM	albS2mD1	mDlexSSM
Inflows					

Rainfall	1421.68(61.3%)	1421.68(60.2%)	1421.68(60.2%)	1421.68(60.2%)	1421.68(60.2%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.9%)	485.64(20.6%)	485.64(20.6%)	485.64(20.6%)	485.64(20.6%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.46(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)
Caloos_Backflows	16.25(0.7%)	49.67(2.1%)	47.00(2.0%)	49.67(2.1%)	46.78(2.0%)
Eaa_Back_Pumping	46.71(2.0%)	46.89(2.0%)	46.57(2.0%)	46.88(2.0%)	46.55(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.02(3.0%)	74.36(3.1%)	77.33(3.3%)	74.71(3.2%)	77.18(3.3%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	62.23(2.7%)	66.40(2.8%)	65.07(2.8%)	66.60(2.8%)	65.08(2.8%)
Total	2318.95(100.0%)	2362.57(100.0%)	2361.21(100.0%)	2363.11(100.0%)	2360.84(100.0%)
Outflows					

ET	2119.74(68.5%)	2045.44(66.2%)	2050.78(66.9%)	2043.64(66.3%)	2048.86(67.0%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	40.27(1.3%)	39.36(1.3%)	35.72(1.2%)	39.34(1.3%)	35.69(1.2%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.40(0.1%)	3.08(0.1%)	3.11(0.1%)	3.08(0.1%)	3.11(0.1%)
Caloos_Ag_Dmds	168.81(5.5%)	166.29(5.4%)	153.57(5.0%)	165.90(5.4%)	153.56(5.0%)
Caloos_Estuary_Min	0.00(0.0%)	52.26(1.7%)	55.23(1.8%)	49.45(1.6%)	52.78(1.7%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	12.28(0.4%)	38.05(1.2%)	38.00(1.2%)	37.19(1.2%)	38.00(1.2%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.40(12.9%)	387.94(12.6%)	368.07(12.0%)	386.90(12.6%)	367.71(12.0%)
Water_Supp_to_LEC	106.37(3.4%)	75.35(2.4%)	87.13(2.8%)	75.95(2.5%)	86.55(2.8%)
Water_Supp_Glades	6.34(0.2%)	3.64(0.1%)	4.52(0.1%)	3.67(0.1%)	4.55(0.1%)
Water_Supp_to_STAs	2.98(0.1%)	2.71(0.1%)	2.28(0.1%)	2.70(0.1%)	2.27(0.1%)
L8_Basin_Ag_Dmds	61.85(2.0%)	108.88(3.5%)	108.46(3.5%)	105.45(3.4%)	106.55(3.5%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.03(5.6%)	167.23(5.4%)	157.01(5.1%)	167.02(5.4%)	156.64(5.1%)
Total	3093.47(100.0%)	3090.23(100.0%)	3063.88(100.0%)	3080.31(100.0%)	3056.28(100.0%)
SW_Storage_Change	-774.56(-33.4%)	-727.68(-30.8%)	-702.64(-29.8%)	-717.22(-30.4%)	-695.44(-29.5%)
RESIDUAL	0.04(0.0%)	0.02(0.0%)	-0.03(-0.0%)	0.02(0.0%)	0.00(0.0%)