

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS

albS2-m

m-STAccon

albS2mD1

mD1-STAc

Inflows

Rainfall	1667.00(48.0%)	1667.00(47.4%)	1667.00(47.3%)	1667.00(47.4%)	1667.00(47.3%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.0%)	983.90(27.9%)	983.90(28.0%)	983.90(27.9%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	66.11(1.9%)	77.07(2.2%)	80.63(2.3%)	77.87(2.2%)	81.04(2.3%)
Caloos_Backflows	5.96(0.2%)	16.04(0.5%)	17.94(0.5%)	16.55(0.5%)	18.26(0.5%)
Eaa_Back_Pumping	53.53(1.5%)	53.38(1.5%)	53.44(1.5%)	53.39(1.5%)	53.43(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.34(1.7%)	76.80(2.2%)	78.15(2.2%)	77.58(2.2%)	79.06(2.2%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)
Other_Inflows	71.67(2.1%)	75.12(2.1%)	75.47(2.1%)	75.25(2.1%)	75.55(2.1%)
Total	3471.18(100.0%)	3513.96(100.0%)	3521.19(100.0%)	3516.20(100.0%)	3522.90(100.0%)

Outflows

ET	2139.10(61.2%)	2096.10(59.0%)	2091.50(58.7%)	2094.60(58.9%)	2090.10(58.7%)
StLucie_Regulatory	141.84(4.1%)	138.08(3.9%)	129.20(3.6%)	138.09(3.9%)	128.66(3.6%)
StLucie_Ag_Dmds	26.96(0.8%)	26.78(0.8%)	26.73(0.8%)	26.78(0.8%)	26.73(0.8%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	389.88(11.1%)	421.18(11.9%)	397.07(11.1%)	427.16(12.0%)	405.12(11.4%)
Caloos_Ag_Dmds	117.00(3.3%)	116.44(3.3%)	116.21(3.3%)	116.37(3.3%)	116.18(3.3%)
Caloos_Estuary_Min	0.00(0.0%)	54.04(1.5%)	52.07(1.5%)	53.62(1.5%)	51.37(1.4%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	60.58(1.7%)	59.26(1.7%)	118.43(3.3%)	58.70(1.7%)	115.62(3.2%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.17(9.6%)	331.93(9.3%)	331.25(9.3%)	331.75(9.3%)	331.17(9.3%)
Water_Supp_to_LEC	30.99(0.9%)	19.58(0.6%)	17.01(0.5%)	19.67(0.6%)	17.00(0.5%)
Water_Supp_Glades	1.58(0.0%)	0.97(0.0%)	0.75(0.0%)	1.01(0.0%)	0.75(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.35(0.1%)	2.34(0.1%)	2.35(0.1%)	2.32(0.1%)
L8_Basin_Ag_Dmds	113.77(3.3%)	150.58(4.2%)	144.18(4.0%)	149.66(4.2%)	143.55(4.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.18(4.0%)	136.01(3.8%)	134.60(3.8%)	135.92(3.8%)	134.54(3.8%)
Total	3497.40(100.0%)	3553.30(100.0%)	3561.35(100.0%)	3555.67(100.0%)	3563.10(100.0%)

SW_Storage_Change

RESIDUAL

-25.70(-0.7%)

-38.70(-1.1%)

-39.50(-1.1%)

-38.90(-1.1%)

-39.60(-1.1%)

-0.52(-0.0%)

-0.64(-0.0%)

-0.66(-0.0%)

-0.57(-0.0%)

-0.60(-0.0%)