

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	a1bS2-m	m-STAccon	a1bS2mD1	mD1-STAc
Inflows					

Rainfall	1421.68(61.3%)	1421.68(60.2%)	1421.68(60.1%)	1421.68(60.2%)	1421.68(60.1%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.9%)	485.64(20.6%)	485.64(20.5%)	485.64(20.6%)	485.64(20.5%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.46(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)
Caloos_Backflows	16.25(0.7%)	49.67(2.1%)	52.36(2.2%)	49.67(2.1%)	52.46(2.2%)
Eaa_Back_Pumping	46.71(2.0%)	46.89(2.0%)	46.62(2.0%)	46.88(2.0%)	46.61(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.02(3.0%)	74.36(3.1%)	75.68(3.2%)	74.71(3.2%)	75.84(3.2%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	62.23(2.7%)	66.40(2.8%)	66.97(2.8%)	66.60(2.8%)	67.16(2.8%)
Total	2318.95(100.0%)	2362.57(100.0%)	2366.87(100.0%)	2363.11(100.0%)	2367.32(100.0%)
Outflows					

ET	2119.74(68.5%)	2045.44(66.2%)	2032.76(66.6%)	2043.64(66.3%)	2031.16(66.7%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	40.27(1.3%)	39.36(1.3%)	39.25(1.3%)	39.34(1.3%)	39.23(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.40(0.1%)	3.08(0.1%)	3.06(0.1%)	3.08(0.1%)	3.05(0.1%)
Caloos_Ag_Dmds	168.81(5.5%)	166.29(5.4%)	165.78(5.4%)	165.90(5.4%)	165.70(5.4%)
Caloos_Estuary_Min	0.00(0.0%)	52.26(1.7%)	35.97(1.2%)	49.45(1.6%)	33.69(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	12.28(0.4%)	38.05(1.2%)	74.08(2.4%)	37.19(1.2%)	71.63(2.4%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.40(12.9%)	387.94(12.6%)	386.11(12.6%)	386.90(12.6%)	385.83(12.7%)
Water_Supp_to_LEC	106.37(3.4%)	75.35(2.4%)	60.06(2.0%)	75.95(2.5%)	59.68(2.0%)
Water_Supp_Glades	6.34(0.2%)	3.64(0.1%)	2.31(0.1%)	3.67(0.1%)	2.13(0.1%)
Water_Supp_to_STAs	2.98(0.1%)	2.71(0.1%)	2.70(0.1%)	2.70(0.1%)	2.58(0.1%)
L8_Basin_Ag_Dmds	61.85(2.0%)	108.88(3.5%)	85.81(2.8%)	105.45(3.4%)	84.45(2.8%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.03(5.6%)	167.23(5.4%)	165.06(5.4%)	167.02(5.4%)	164.88(5.4%)
Total	3093.47(100.0%)	3090.23(100.0%)	3052.94(100.0%)	3080.31(100.0%)	3044.02(100.0%)
SW_Storage_Change	-774.56(-33.4%)	-727.68(-30.8%)	-686.06(-29.0%)	-717.22(-30.4%)	-676.70(-28.6%)
RESIDUAL	0.04(0.0%)	0.02(0.0%)	-0.01(-0.0%)	0.02(0.0%)	0.00(0.0%)