

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS alt1bS2 albS2-A alt4 a4-A

Inflows

	07LORS	alt1bS2	albS2-A	alt4	a4-A

Rainfall	1667.00(48.0%)	1667.00(47.5%)	1667.00(47.5%)	1667.00(47.3%)	1667.00(47.3%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.0%)	983.90(28.0%)	983.90(27.9%)	983.90(27.9%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	65.91(1.9%)	76.11(2.2%)	76.13(2.2%)	81.92(2.3%)	81.77(2.3%)
Caloos_Backflows	5.73(0.2%)	15.60(0.4%)	15.60(0.4%)	17.36(0.5%)	17.36(0.5%)
Eaa_Back_Pumping	53.61(1.5%)	53.33(1.5%)	53.33(1.5%)	53.43(1.5%)	53.43(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.22(1.7%)	76.15(2.2%)	76.10(2.2%)	79.75(2.3%)	79.77(2.3%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)
Other_Inflows	71.60(2.1%)	75.06(2.1%)	75.06(2.1%)	75.18(2.1%)	75.18(2.1%)
Total	3470.62(100.0%)	3511.82(100.0%)	3511.78(100.0%)	3523.20(100.0%)	3523.07(100.0%)

Outflows

	07LORS	alt1bS2	albS2-A	alt4	a4-A

ET	2139.80(61.2%)	2097.30(59.1%)	2097.20(59.1%)	2089.20(58.6%)	2089.30(58.6%)
StLucie_Regulatory	143.32(4.1%)	134.21(3.8%)	135.37(3.8%)	163.73(4.6%)	164.05(4.6%)
StLucie_Ag_Dmds	26.99(0.8%)	26.84(0.8%)	26.83(0.8%)	26.67(0.7%)	26.67(0.7%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	392.79(11.2%)	420.05(11.8%)	418.77(11.8%)	462.37(13.0%)	461.04(12.9%)
Caloos_Ag_Dmds	117.08(3.3%)	116.63(3.3%)	116.60(3.3%)	115.60(3.2%)	115.60(3.2%)
Caloos_Estuary_Min	0.00(0.0%)	54.03(1.5%)	53.98(1.5%)	37.91(1.1%)	37.94(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	53.94(1.5%)	59.70(1.7%)	59.77(1.7%)	58.12(1.6%)	58.75(1.6%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.37(9.6%)	332.29(9.4%)	332.35(9.4%)	331.19(9.3%)	331.19(9.3%)
Water_Supp_to_LEC	31.09(0.9%)	19.64(0.6%)	19.54(0.6%)	20.53(0.6%)	20.53(0.6%)
Water_Supp_Glades	1.63(0.0%)	0.91(0.0%)	1.02(0.0%)	1.33(0.0%)	1.33(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.36(0.1%)	2.36(0.1%)	2.36(0.1%)	2.36(0.1%)
L8_Basin_Ag_Dmds	114.19(3.3%)	151.14(4.3%)	151.24(4.3%)	120.05(3.4%)	120.22(3.4%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASR	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.40(4.0%)	136.25(3.8%)	136.26(3.8%)	135.24(3.8%)	135.21(3.8%)
Total	3496.94(100.0%)	3551.36(100.0%)	3551.28(100.0%)	3564.30(100.0%)	3564.19(100.0%)
SW_Storage_Change	-25.80(-0.7%)	-39.00(-1.1%)	-39.00(-1.1%)	-40.60(-1.2%)	-40.60(-1.2%)
RESIDUAL	-0.52(-0.0%)	-0.54(-0.0%)	-0.50(-0.0%)	-0.50(-0.0%)	-0.52(-0.0%)