

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS

alt1b

alt1bs1

alt1bs2

alt2a

Inflows

Rainfall	1667.00(48.0%)	1667.00(47.6%)	1667.00(47.5%)	1667.00(47.5%)	1667.00(47.3%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.1%)	983.90(28.1%)	983.90(28.0%)	983.90(27.9%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	65.91(1.9%)	73.88(2.1%)	74.94(2.1%)	76.11(2.2%)	81.28(2.3%)
Caloos_Backflows	5.73(0.2%)	12.91(0.4%)	13.82(0.4%)	15.60(0.4%)	18.29(0.5%)
Eaa_Back_Pumping	53.61(1.5%)	53.35(1.5%)	53.34(1.5%)	53.33(1.5%)	53.17(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.22(1.7%)	72.65(2.1%)	75.02(2.1%)	76.15(2.2%)	82.98(2.4%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.0%)
Other_Inflows	71.60(2.1%)	74.38(2.1%)	74.66(2.1%)	75.06(2.1%)	75.46(2.1%)
Total	3470.62(100.0%)	3502.72(100.0%)	3507.34(100.0%)	3511.82(100.0%)	3526.73(100.0%)

Outflows

ET	2139.80(61.2%)	2107.10(59.5%)	2102.70(59.3%)	2097.30(59.1%)	2084.60(58.5%)
StLucie_Regulatory	143.32(4.1%)	137.41(3.9%)	136.06(3.8%)	134.21(3.8%)	186.10(5.2%)
StLucie_Ag_Dmds	26.99(0.8%)	27.26(0.8%)	27.11(0.8%)	26.84(0.8%)	26.48(0.7%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	392.79(11.2%)	428.01(12.1%)	423.51(11.9%)	420.05(11.8%)	436.49(12.2%)
Caloos_Ag_Dmds	117.08(3.3%)	118.13(3.3%)	117.53(3.3%)	116.63(3.3%)	114.93(3.2%)
Caloos_Estuary_Min	0.00(0.0%)	31.93(0.9%)	42.24(1.2%)	54.03(1.5%)	39.43(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	53.94(1.5%)	60.09(1.7%)	60.53(1.7%)	59.70(1.7%)	58.17(1.6%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.37(9.6%)	335.76(9.5%)	334.36(9.4%)	332.29(9.4%)	329.45(9.2%)
Water_Supp_to_LEC	31.09(0.9%)	23.45(0.7%)	21.10(0.6%)	19.64(0.6%)	18.88(0.5%)
Water_Supp_Glades	1.63(0.0%)	1.41(0.0%)	1.18(0.0%)	0.91(0.0%)	1.34(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.38(0.1%)	2.38(0.1%)	2.36(0.1%)	2.30(0.1%)
L8_Basin_Ag_Dmds	114.19(3.3%)	130.15(3.7%)	140.43(4.0%)	151.14(4.3%)	133.80(3.8%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.40(4.0%)	138.58(3.9%)	137.62(3.9%)	136.25(3.8%)	134.11(3.8%)
Total	3496.94(100.0%)	3541.66(100.0%)	3546.75(100.0%)	3551.36(100.0%)	3566.07(100.0%)
SW_Storage_Change	-25.80(-0.7%)	-38.40(-1.1%)	-38.80(-1.1%)	-39.00(-1.1%)	-38.80(-1.1%)
RESIDUAL	-0.52(-0.0%)	-0.54(-0.0%)	-0.61(-0.0%)	-0.54(-0.0%)	-0.54(-0.0%)