

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	alt1b	alt1bs1	alt1bs2	alt2a
Inflows					

Rainfall	1421.68(61.3%)	1421.68(60.4%)	1421.68(60.3%)	1421.68(60.2%)	1421.68(59.7%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(21.0%)	485.64(20.6%)	485.64(20.6%)	485.64(20.6%)	485.64(20.4%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.42(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)	104.52(4.4%)
Caloos_Backflows	14.86(0.6%)	45.14(1.9%)	46.23(2.0%)	48.36(2.0%)	63.11(2.6%)
Eaa_Back_Pumping	46.81(2.0%)	46.68(2.0%)	46.75(2.0%)	46.71(2.0%)	46.64(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.18(3.0%)	71.33(3.0%)	73.47(3.1%)	74.37(3.1%)	80.83(3.4%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	62.25(2.7%)	66.19(2.8%)	66.20(2.8%)	66.26(2.8%)	67.40(2.8%)
Total	2317.80(100.0%)	2354.60(100.0%)	2357.91(100.0%)	2360.96(100.0%)	2381.77(100.0%)
Outflows					

ET	2121.72(68.4%)	2059.30(67.3%)	2053.78(67.2%)	2047.66(66.1%)	2006.84(69.2%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	2.87(0.1%)
StLucie_Ag_Dmds	40.31(1.3%)	40.44(1.3%)	40.20(1.3%)	39.71(1.3%)	37.49(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.41(0.1%)	3.12(0.1%)	3.11(0.1%)	3.10(0.1%)	2.94(0.1%)
Caloos_Ag_Dmds	168.96(5.4%)	170.30(5.6%)	169.78(5.6%)	167.55(5.4%)	157.90(5.4%)
Caloos_Estuary_Min	0.00(0.0%)	18.56(0.6%)	26.84(0.9%)	52.26(1.7%)	22.03(0.8%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	13.22(0.4%)	28.86(0.9%)	28.49(0.9%)	37.74(1.2%)	7.00(0.2%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.81(12.9%)	401.03(13.1%)	396.68(13.0%)	390.43(12.6%)	369.10(12.7%)
Water_Supp_to_LEC	108.45(3.5%)	87.45(2.9%)	79.04(2.6%)	74.95(2.4%)	65.77(2.3%)
Water_Supp_Glades	6.55(0.2%)	5.66(0.2%)	4.61(0.2%)	3.36(0.1%)	5.47(0.2%)
Water_Supp_to_STAs	2.99(0.1%)	2.79(0.1%)	2.79(0.1%)	2.77(0.1%)	2.48(0.1%)
L8_Basin_Ag_Dmds	62.54(2.0%)	67.70(2.2%)	80.10(2.6%)	109.38(3.5%)	62.62(2.2%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.42(5.6%)	172.72(5.6%)	171.51(5.6%)	168.93(5.5%)	158.33(5.5%)
Total	3100.37(100.0%)	3057.92(100.0%)	3056.92(100.0%)	3097.83(100.0%)	2900.83(100.0%)
SW_Storage_Change	-782.62(-33.8%)	-703.36(-29.9%)	-699.00(-29.6%)	-736.86(-31.2%)	-519.10(-21.8%)
RESIDUAL	0.05(0.0%)	0.04(0.0%)	-0.01(-0.0%)	-0.01(-0.0%)	0.04(0.0%)