

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	alt2a	a2a-A	alt4	a4-A
Inflows					

Rainfall	1421.68(61.3%)	1421.68(59.7%)	1421.68(59.7%)	1421.68(59.8%)	1421.68(59.8%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(21.0%)	485.64(20.4%)	485.64(20.4%)	485.64(20.4%)	485.64(20.4%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.42(4.5%)	104.52(4.4%)	104.52(4.4%)	105.98(4.5%)	105.98(4.5%)
Caloos_Backflows	14.86(0.6%)	63.11(2.6%)	63.11(2.6%)	57.98(2.4%)	57.98(2.4%)
Eaa_Back_Pumping	46.81(2.0%)	46.64(2.0%)	46.64(2.0%)	47.52(2.0%)	47.52(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.18(3.0%)	80.83(3.4%)	80.83(3.4%)	78.05(3.3%)	78.05(3.3%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	62.25(2.7%)	67.40(2.8%)	67.40(2.8%)	67.79(2.9%)	67.79(2.9%)
Total	2317.80(100.0%)	2381.77(100.0%)	2381.77(100.0%)	2376.59(100.0%)	2376.59(100.0%)
Outflows					

ET	2121.72(68.4%)	2006.84(69.2%)	2006.84(69.2%)	2019.46(68.2%)	2019.46(68.2%)
StLucie_Regulatory	0.00(0.0%)	2.87(0.1%)	2.87(0.1%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	40.31(1.3%)	37.49(1.3%)	37.49(1.3%)	38.22(1.3%)	38.22(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.41(0.1%)	2.94(0.1%)	2.94(0.1%)	2.99(0.1%)	2.99(0.1%)
Caloos_Ag_Dmds	168.96(5.4%)	157.90(5.4%)	157.90(5.4%)	161.71(5.5%)	161.71(5.5%)
Caloos_Estuary_Min	0.00(0.0%)	22.03(0.8%)	22.03(0.8%)	31.26(1.1%)	31.26(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	13.22(0.4%)	7.00(0.2%)	7.00(0.2%)	29.86(1.0%)	29.86(1.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.81(12.9%)	369.10(12.7%)	369.10(12.7%)	381.39(12.9%)	381.39(12.9%)
Water_Supp_to_LEC	108.45(3.5%)	65.77(2.3%)	65.77(2.3%)	75.05(2.5%)	75.05(2.5%)
Water_Supp_Glades	6.55(0.2%)	5.47(0.2%)	5.47(0.2%)	5.60(0.2%)	5.60(0.2%)
Water_Supp_to_STAs	2.99(0.1%)	2.48(0.1%)	2.48(0.1%)	2.83(0.1%)	2.83(0.1%)
L8_Basin_Ag_Dmds	62.54(2.0%)	62.62(2.2%)	62.62(2.2%)	48.55(1.6%)	48.55(1.6%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.42(5.6%)	158.33(5.5%)	158.33(5.5%)	162.38(5.5%)	162.38(5.5%)
Total	3100.37(100.0%)	2900.83(100.0%)	2900.83(100.0%)	2959.29(100.0%)	2959.29(100.0%)
SW_Storage_Change	-782.62(-33.8%)	-519.10(-21.8%)	-519.10(-21.8%)	-582.76(-24.5%)	-582.76(-24.5%)
RESIDUAL	0.05(0.0%)	0.04(0.0%)	0.04(0.0%)	0.06(0.0%)	0.06(0.0%)