

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS

alt2a

alt2b

alt2bs1

Inflows

Rainfall	1667.00(48.0%)	1667.00(47.3%)	1667.00(47.5%)	1667.00(47.4%)	0.00(0.0%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	0.00(0.0%)
Kissimmee_Inflo	983.90(28.3%)	983.90(27.9%)	983.90(28.0%)	983.90(28.0%)	0.00(0.0%)
TaylorCrk_Inflo	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	0.00(0.0%)
TayCrkRes_Inflo	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	65.91(1.9%)	81.28(2.3%)	72.14(2.1%)	76.33(2.2%)	0.00(0.0%)
Caloos_Backflows	5.73(0.2%)	18.29(0.5%)	15.08(0.4%)	18.01(0.5%)	0.00(0.0%)
Eaa_Back_Pumping	53.61(1.5%)	53.17(1.5%)	53.50(1.5%)	53.29(1.5%)	0.00(0.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.22(1.7%)	82.98(2.4%)	79.73(2.3%)	81.79(2.3%)	0.00(0.0%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflo	142.83(4.1%)	142.83(4.0%)	142.83(4.1%)	142.83(4.1%)	0.00(0.0%)
Other_Inflo	71.60(2.1%)	75.46(2.1%)	74.65(2.1%)	75.23(2.1%)	0.00(0.0%)
Total	3470.62(100.0%)	3526.73(100.0%)	3510.65(100.0%)	3520.21(100.0%)	0.00(0.0%)

Outflows

ET	2139.80(61.2%)	2084.60(58.5%)	2102.20(59.2%)	2093.20(58.8%)	0.00(0.0%)
StLucie_Regulatory	143.32(4.1%)	186.10(5.2%)	125.67(3.5%)	119.23(3.4%)	0.00(0.0%)
StLucie_Ag_Dmds	26.99(0.8%)	26.48(0.7%)	27.09(0.8%)	26.89(0.8%)	0.00(0.0%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	392.79(11.2%)	436.49(12.2%)	514.00(14.5%)	529.84(14.9%)	0.00(0.0%)
Caloos_Ag_Dmds	117.08(3.3%)	114.93(3.2%)	117.39(3.3%)	116.77(3.3%)	0.00(0.0%)
Caloos_Estuary_Min	0.00(0.0%)	39.43(1.1%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	53.94(1.5%)	58.17(1.6%)	59.15(1.7%)	60.66(1.7%)	0.00(0.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.37(9.6%)	329.45(9.2%)	334.51(9.4%)	332.42(9.3%)	0.00(0.0%)
Water_Supp_to_LEC	31.09(0.9%)	18.88(0.5%)	23.88(0.7%)	20.50(0.6%)	0.00(0.0%)
Water_Supp_Glades	1.63(0.0%)	1.34(0.0%)	1.26(0.0%)	1.13(0.0%)	0.00(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.30(0.1%)	2.43(0.1%)	2.25(0.1%)	0.00(0.0%)
L8_Basin_Ag_Dmds	114.19(3.3%)	133.80(3.8%)	104.14(2.9%)	119.52(3.4%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASR	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.40(4.0%)	134.11(3.8%)	137.37(3.9%)	136.49(3.8%)	0.00(0.0%)
Total	3496.94(100.0%)	3566.07(100.0%)	3549.09(100.0%)	3558.88(100.0%)	0.00(0.0%)
SW_Storage_Change	-25.80(-0.7%)	-38.80(-1.1%)	-37.90(-1.1%)	-38.10(-1.1%)	0.00(0.0%)
RESIDUAL	-0.52(-0.0%)	-0.54(-0.0%)	-0.54(-0.0%)	-0.57(-0.0%)	0.00(0.0%)