

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	alt2a	alt2b	alt2bS1	
Inflows					

Rainfall	1421.68(61.3%)	1421.68(59.7%)	1421.68(60.0%)	1421.68(59.8%)	0.00(0.0%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	0.00(0.0%)
Kissimmee_Inflows	485.64(21.0%)	485.64(20.4%)	485.64(20.5%)	485.64(20.4%)	0.00(0.0%)
TaylorCrk_Inflows	84.87(3.7%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	0.00(0.0%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.42(4.5%)	104.52(4.4%)	105.98(4.5%)	105.98(4.5%)	0.00(0.0%)
Caloos_Backflows	14.86(0.6%)	63.11(2.6%)	54.24(2.3%)	62.10(2.6%)	0.00(0.0%)
Eaa_Back_Pumping	46.81(2.0%)	46.64(2.0%)	47.02(2.0%)	46.74(2.0%)	0.00(0.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	69.18(3.0%)	80.83(3.4%)	74.73(3.2%)	77.76(3.3%)	0.00(0.0%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	0.00(0.0%)
Other_Inflows	62.25(2.7%)	67.40(2.8%)	66.41(2.8%)	67.36(2.8%)	0.00(0.0%)
Total	2317.80(100.0%)	2381.77(100.0%)	2367.66(100.0%)	2379.20(100.0%)	0.00(0.0%)
Outflows					

ET	2121.72(68.4%)	2006.84(69.2%)	2046.54(69.0%)	2027.36(69.3%)	0.00(0.0%)
StLucie_Regulatory	0.00(0.0%)	2.87(0.1%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	40.31(1.3%)	37.49(1.3%)	39.47(1.3%)	39.10(1.3%)	0.00(0.0%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.41(0.1%)	2.94(0.1%)	2.96(0.1%)	6.77(0.2%)	0.00(0.0%)
Caloos_Ag_Dmds	168.96(5.4%)	157.90(5.4%)	165.87(5.6%)	164.62(5.6%)	0.00(0.0%)
Caloos_Estuary_Min	0.00(0.0%)	22.03(0.8%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	13.22(0.4%)	7.00(0.2%)	0.00(0.0%)	5.94(0.2%)	0.00(0.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	399.81(12.9%)	369.10(12.7%)	391.42(13.2%)	381.98(13.1%)	0.00(0.0%)
Water_Supp_to_LEC	108.45(3.5%)	65.77(2.3%)	93.84(3.2%)	79.12(2.7%)	0.00(0.0%)
Water_Supp_Glades	6.55(0.2%)	5.47(0.2%)	5.94(0.2%)	5.70(0.2%)	0.00(0.0%)
Water_Supp_to_STAs	2.99(0.1%)	2.48(0.1%)	2.99(0.1%)	2.84(0.1%)	0.00(0.0%)
L8_Basin_Ag_Dmds	62.54(2.0%)	62.62(2.2%)	49.26(1.7%)	45.92(1.6%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	172.42(5.6%)	158.33(5.5%)	167.84(5.7%)	164.97(5.6%)	0.00(0.0%)
Total	3100.37(100.0%)	2900.83(100.0%)	2966.13(100.0%)	2924.33(100.0%)	0.00(0.0%)
SW_Storage_Change	-782.62(-33.8%)	-519.10(-21.8%)	-598.52(-25.3%)	-545.20(-22.9%)	0.00(0.0%)
RESIDUAL	0.05(0.0%)	0.04(0.0%)	0.05(0.0%)	0.07(0.0%)	0.00(0.0%)