

"Mean (36 year) Annual Water Budget for the EAA in 1,000 acft"

\*\*\*\*\*

	07LORS	alt3				
Area(sq.mi)	844.0	844.0	0.0	0.0	0.0	0.0
<b>Inflows</b>						
Rainfall	2264.70( 81.5%)	2264.70( 81.2%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supply_LOK	335.37( 12.1%)	337.89( 12.1%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supply_ASR	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_Env_WS	0.81( 0.0%)	0.73( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_LEC_WS	45.44( 1.6%)	45.99( 1.6%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_STA_WS	0.63( 0.0%)	0.63( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_REG_REL	53.94( 1.9%)	60.55( 2.2%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
G136_to_EAA	4.63( 0.2%)	4.63( 0.2%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
S236_Runoff_South	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
G136_To_STA3&4	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_LK_SEM	16.82( 0.6%)	16.37( 0.6%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
LOK_To_EAA_Reserv	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Catchment_ASR	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
LOK_To_298Dist	13.95( 0.5%)	14.11( 0.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Rotenberger	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Ground_Water_In	43.10( 1.6%)	43.00( 1.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Total	2779.39(100.0%)	2788.62(100.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
<b>Outflows</b>						
ET	1585.80( 56.7%)	1585.90( 56.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
ETP	97.00( 3.5%)	97.00( 3.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
ETS	101.40( 3.6%)	96.90( 3.4%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
ETU	1387.50( 49.6%)	1391.90( 49.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_Env_WS	0.81( 0.0%)	0.73( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_LEC_WS	45.44( 1.6%)	45.99( 1.6%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_STA_WS	0.63( 0.0%)	0.63( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_REG_REL	53.94( 1.9%)	60.55( 2.2%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
S236_Runoff_South	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
G136_To_STA3&4	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Flow_Thru_LK_SEM	16.82( 0.6%)	16.37( 0.6%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Major_Basin_Runoff_to_LOK	53.61( 1.9%)	53.56( 1.9%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Major_Basin_Runoff_South	1001.92( 35.8%)	1005.63( 35.8%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Reservoir_To_ENV	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
298_Dist_To_LOK	31.98( 1.1%)	32.08( 1.1%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
298_Dist_To_STA1W	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
298_Dist_To_STA2	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
298_Dist_To_STA3&4	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Ground_Water_Out	7.80( 0.3%)	7.90( 0.3%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Total	2798.75(100.7%)	2809.35(100.7%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Storage_Change	0.60( 0.0%)	0.60( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
RESIDUAL(Out-In+DeltaS)	19.96( 1.4%)	21.33( 1.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
<b>Demand&amp;Supplies</b>						
Total_EAA_Irr_Req	1438.30(100.0%)	1438.30(100.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Dmd_Met_by_Rainfall	603.12( 41.9%)	603.43( 42.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Dmd_Met_Local_Storage	484.45( 33.7%)	488.09( 33.9%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Total_EAA_Supl_Irr_Dmd	365.24( 25.4%)	361.10( 25.1%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Supplied_by_LOK	335.37( 23.3%)	337.89( 23.5%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)

Supplied_by_ASR	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Supplied_by_RES	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Not_Met	29.86( 2.1%)	23.21( 1.6%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)

For Planning Purposes Only  
Run date: 03/24/06 02:12:48  
SFWMW V5.5.2  
Script used: eaa\_watbud\_2.scr, v1.6  
Filename: eaa\_AnnAvg\_watbud.report