

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	07LORS	alt4-A	alt4-D1		
<b>Inflows</b>					
<b>-----</b>					
Rainfall	1421.68( 61.3%)	1421.68( 59.8%)	1421.68( 59.8%)	0.00( 0.0%)	0.00( 0.0%)
MDSNET	-42.02( -1.8%)	-42.02( -1.8%)	-42.02( -1.8%)	0.00( 0.0%)	0.00( 0.0%)
Kissimmee_Inflows	485.64( 20.9%)	485.64( 20.4%)	485.64( 20.4%)	0.00( 0.0%)	0.00( 0.0%)
TaylorCrk_Inflows	84.87( 3.7%)	84.87( 3.6%)	84.87( 3.6%)	0.00( 0.0%)	0.00( 0.0%)
TayCrkRes_Inflows	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
ASR_To_LOK	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Backflows	105.46( 4.5%)	105.98( 4.5%)	105.98( 4.5%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Backflows	16.25( 0.7%)	57.98( 2.4%)	58.64( 2.5%)	0.00( 0.0%)	0.00( 0.0%)
Eaa_Back_Pumping	46.71( 2.0%)	47.52( 2.0%)	47.48( 2.0%)	0.00( 0.0%)	0.00( 0.0%)
C43_Reservoir	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
C44_Reservoir	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
North_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
L8_Backflows	69.02( 3.0%)	78.05( 3.3%)	78.31( 3.3%)	0.00( 0.0%)	0.00( 0.0%)
S309_Backflows	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
UpIstokp_Inflows	69.10( 3.0%)	69.10( 2.9%)	69.10( 2.9%)	0.00( 0.0%)	0.00( 0.0%)
Other_Inflows	62.23( 2.7%)	67.79( 2.9%)	67.82( 2.9%)	0.00( 0.0%)	0.00( 0.0%)
Total	2318.95(100.0%)	2376.59(100.0%)	2377.50(100.0%)	0.00( 0.0%)	0.00( 0.0%)
<b>Outflows</b>					
<b>-----</b>					
ET	2119.74( 68.5%)	2019.46( 68.2%)	2018.28( 68.3%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Regulatory	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Ag_Dmds	40.27( 1.3%)	38.22( 1.3%)	38.21( 1.3%)	0.00( 0.0%)	0.00( 0.0%)
StLuci_Estuary_Min	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Regulatory	3.40( 0.1%)	2.99( 0.1%)	2.99( 0.1%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Ag_Dmds	168.81( 5.5%)	161.71( 5.5%)	161.64( 5.5%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Estuary_Min	0.00( 0.0%)	31.26( 1.1%)	30.02( 1.0%)	0.00( 0.0%)	0.00( 0.0%)
Reg_to_EAA_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Regulatory_to_Wcas	12.28( 0.4%)	29.86( 1.0%)	29.13( 1.0%)	0.00( 0.0%)	0.00( 0.0%)
Exc_Wat_StLuc_Res	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Exc_Wat_Caloo_Res	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_EAA	399.40( 12.9%)	381.39( 12.9%)	380.44( 12.9%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_LEC	106.37( 3.4%)	75.05( 2.5%)	74.95( 2.5%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_Glades	6.34( 0.2%)	5.60( 0.2%)	5.91( 0.2%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_STAs	2.98( 0.1%)	2.83( 0.1%)	2.84( 0.1%)	0.00( 0.0%)	0.00( 0.0%)
L8_Basin_Ag_Dmds	61.85( 2.0%)	48.55( 1.6%)	47.21( 1.6%)	0.00( 0.0%)	0.00( 0.0%)
North_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
LOK_To_ASР	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Other_Outflows	172.03( 5.6%)	162.38( 5.5%)	162.39( 5.5%)	0.00( 0.0%)	0.00( 0.0%)
Total	3093.47(100.0%)	2959.29(100.0%)	2954.00(100.0%)	0.00( 0.0%)	0.00( 0.0%)
SW_Storage_Change	-774.56(-33.4%)	-582.76(-24.5%)	-576.52(-24.2%)	0.00( 0.0%)	0.00( 0.0%)
RESIDUAL	0.04( 0.0%)	0.06( 0.0%)	0.02( 0.0%)	0.00( 0.0%)	0.00( 0.0%)