

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS

lors-fwo

Inflows

Rainfall	1667.00(48.0%)	1667.00(47.9%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
MDS_NET	284.20(8.2%)	284.20(8.2%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Kissimmee_Inflo	983.90(28.3%)	983.90(28.3%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
TaylorCrk_Inflo	137.62(4.0%)	137.62(4.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
TayCrkRes_Inflo	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	66.11(1.9%)	69.39(2.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Backflows	5.96(0.2%)	9.39(0.3%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Eaa_Back_Pumping	53.53(1.5%)	53.49(1.5%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	58.34(1.7%)	60.19(1.7%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflo	142.83(4.1%)	142.83(4.1%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Inflo	71.67(2.1%)	72.84(2.1%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Total	3471.18(100.0%)	3480.85(100.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)

Outflows

ET	2139.10(61.2%)	2126.80(60.6%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Regulatory	141.84(4.1%)	138.17(3.9%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	26.96(0.8%)	27.59(0.8%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	389.88(11.1%)	358.35(10.2%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Ag_Dmds	117.00(3.3%)	119.09(3.4%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Estuary_Min	0.00(0.0%)	62.04(1.8%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	60.58(1.7%)	60.13(1.7%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	335.17(9.6%)	337.71(9.6%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_LEC	30.99(0.9%)	27.47(0.8%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_Glaces	1.58(0.0%)	1.51(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_STAs	2.35(0.1%)	2.45(0.1%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Basin_Ag_Dmds	113.77(3.3%)	110.76(3.2%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASR	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	138.18(4.0%)	139.80(4.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Total	3497.40(100.0%)	3511.86(100.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)

SW_Storage_Change

RESIDUAL

-25.70(-0.7%)

-30.50(-0.9%)

0.00(0.0%)

0.00(0.0%)

0.00(0.0%)

-0.52(-0.0%)

-0.51(-0.0%)

0.00(0.0%)

0.00(0.0%)

0.00(0.0%)