

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

	alt2a	alt2a-A	alt2a-B	alt3	alt3-B
--	-------	---------	---------	------	--------

Inflows

	alt2a	alt2a-A	alt2a-B	alt3	alt3-B
Rainfall	1667.00(47.3%)	1667.00(47.3%)	1667.00(47.2%)	1667.00(48.2%)	1667.00(48.0%)
MDS_NET	284.20(8.1%)	284.20(8.1%)	284.20(8.0%)	284.20(8.2%)	284.20(8.2%)
Kissimmee_Inflows	983.90(27.9%)	983.90(27.9%)	983.90(27.9%)	983.90(28.4%)	983.90(28.3%)
TaylorCrk_Inflows	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(4.0%)	137.62(4.0%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	81.28(2.3%)	81.28(2.3%)	85.69(2.4%)	62.20(1.8%)	66.34(1.9%)
Caloos_Backflows	18.29(0.5%)	18.29(0.5%)	18.02(0.5%)	8.96(0.3%)	10.41(0.3%)
Eaa_Back_Pumping	53.17(1.5%)	53.17(1.5%)	53.20(1.5%)	53.56(1.5%)	53.56(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	82.98(2.4%)	82.98(2.4%)	82.63(2.3%)	49.01(1.4%)	52.51(1.5%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.0%)	142.83(4.0%)	142.83(4.0%)	142.83(4.1%)	142.83(4.1%)
Other_Inflows	75.46(2.1%)	75.46(2.1%)	75.37(2.1%)	71.77(2.1%)	72.79(2.1%)
Total	3526.73(100.0%)	3526.73(100.0%)	3530.47(100.0%)	3461.05(100.0%)	3471.16(100.0%)

Outflows

	alt2a	alt2a-A	alt2a-B	alt3	alt3-B
ET	2084.60(58.5%)	2084.60(58.5%)	2085.80(58.4%)	2139.60(61.3%)	2129.30(60.8%)
StLucie_Regulatory	186.10(5.2%)	186.10(5.2%)	181.37(5.1%)	146.27(4.2%)	150.36(4.3%)
StLucie_Ag_Dmds	26.48(0.7%)	26.48(0.7%)	26.54(0.7%)	27.67(0.8%)	27.41(0.8%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	436.49(12.2%)	436.49(12.2%)	440.43(12.3%)	373.08(10.7%)	337.39(9.6%)
Caloos_Ag_Dmds	114.93(3.2%)	114.93(3.2%)	115.06(3.2%)	119.48(3.4%)	118.73(3.4%)
Caloos_Estuary_Min	39.43(1.1%)	39.43(1.1%)	39.84(1.1%)	0.00(0.0%)	65.82(1.9%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	58.17(1.6%)	58.17(1.6%)	59.35(1.7%)	60.55(1.7%)	59.19(1.7%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	329.45(9.2%)	329.45(9.2%)	329.88(9.2%)	337.89(9.7%)	337.01(9.6%)
Water_Supp_to_LEC	18.88(0.5%)	18.88(0.5%)	18.72(0.5%)	28.88(0.8%)	26.89(0.8%)
Water_Supp_Glades	1.34(0.0%)	1.34(0.0%)	1.39(0.0%)	1.29(0.0%)	1.29(0.0%)
Water_Supp_to_STAs	2.30(0.1%)	2.30(0.1%)	2.31(0.1%)	2.28(0.1%)	2.44(0.1%)
L8_Basin_Ag_Dmds	133.80(3.8%)	133.80(3.8%)	134.79(3.8%)	112.50(3.2%)	107.00(3.1%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	134.11(3.8%)	134.11(3.8%)	134.28(3.8%)	139.83(4.0%)	139.07(4.0%)
Total	3566.07(100.0%)	3566.07(100.0%)	3569.74(100.0%)	3489.33(100.0%)	3501.88(100.0%)
SW_Storage_Change	-38.80(-1.1%)	-38.80(-1.1%)	-38.70(-1.1%)	-27.70(-0.8%)	-30.20(-0.9%)
RESIDUAL	-0.54(-0.0%)	-0.54(-0.0%)	-0.57(-0.0%)	-0.58(-0.0%)	-0.52(-0.0%)