

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	alt2a	alt2a-A	alt2a-B	alt3	alt3-B
--	-------	---------	---------	------	--------

Inflows					
	alt2a	alt2a-A	alt2a-B	alt3	alt3-B
Rainfall	1421.68(59.7%)	1421.68(59.7%)	1421.68(59.7%)	1421.68(61.0%)	1421.68(60.8%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.4%)	485.64(20.4%)	485.64(20.4%)	485.64(20.8%)	485.64(20.8%)
TaylorCrk_Inflows	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	104.52(4.4%)	104.52(4.4%)	105.98(4.4%)	105.46(4.5%)	105.98(4.5%)
Caloos_Backflows	63.11(2.6%)	63.11(2.6%)	62.26(2.6%)	28.84(1.2%)	33.70(1.4%)
Eaa_Back_Pumping	46.64(2.0%)	46.64(2.0%)	46.61(2.0%)	47.28(2.0%)	47.12(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	80.83(3.4%)	80.83(3.4%)	80.07(3.4%)	66.22(2.8%)	68.32(2.9%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(3.0%)	69.10(3.0%)
Other_Inflows	67.40(2.8%)	67.40(2.8%)	67.49(2.8%)	63.15(2.7%)	63.79(2.7%)
Total	2381.77(100.0%)	2381.77(100.0%)	2381.69(100.0%)	2330.22(100.0%)	2338.18(100.0%)
Outflows					
	alt2a	alt2a-A	alt2a-B	alt3	alt3-B
ET	2006.84(69.2%)	2006.84(69.2%)	2008.82(69.2%)	2105.14(68.0%)	2088.90(67.1%)
StLucie_Regulatory	2.87(0.1%)	2.87(0.1%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	37.49(1.3%)	37.49(1.3%)	37.50(1.3%)	41.46(1.3%)	41.05(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	2.94(0.1%)	2.94(0.1%)	2.95(0.1%)	3.18(0.1%)	3.25(0.1%)
Caloos_Ag_Dmds	157.90(5.4%)	157.90(5.4%)	158.20(5.4%)	172.18(5.6%)	171.17(5.5%)
Caloos_Estuary_Min	22.03(0.8%)	22.03(0.8%)	22.75(0.8%)	0.00(0.0%)	57.55(1.8%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	7.00(0.2%)	7.00(0.2%)	7.70(0.3%)	16.34(0.5%)	9.53(0.3%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	369.10(12.7%)	369.10(12.7%)	370.33(12.7%)	408.48(13.2%)	405.69(13.0%)
Water_Supp_to_LEC	65.77(2.3%)	65.77(2.3%)	65.00(2.2%)	102.51(3.3%)	96.91(3.1%)
Water_Supp_Glades	5.47(0.2%)	5.47(0.2%)	5.55(0.2%)	5.36(0.2%)	5.28(0.2%)
Water_Supp_to_STAs	2.48(0.1%)	2.48(0.1%)	2.50(0.1%)	2.84(0.1%)	3.08(0.1%)
L8_Basin_Ag_Dmds	62.62(2.2%)	62.62(2.2%)	64.77(2.2%)	61.24(2.0%)	57.65(1.9%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	158.33(5.5%)	158.33(5.5%)	158.55(5.5%)	175.82(5.7%)	175.12(5.6%)
Total	2900.83(100.0%)	2900.83(100.0%)	2904.62(100.0%)	3094.54(100.0%)	3115.19(100.0%)
SW_Storage_Change	-519.10(-21.8%)	-519.10(-21.8%)	-522.96(-22.0%)	-764.38(-32.8%)	-777.04(-33.2%)
RESIDUAL	0.04(0.0%)	0.04(0.0%)	0.03(0.0%)	0.06(0.0%)	0.03(0.0%)