

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

	alt4	alt1a	alt1b	alt2a	alt2b
--	------	-------	-------	-------	-------

Inflows

Rainfall	1667.00(47.3%)	1667.00(47.7%)	1667.00(47.6%)	1667.00(47.3%)	1667.00(47.5%)
MDS_NET	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)
Kissimmee_Inflows	983.90(27.9%)	983.90(28.2%)	983.90(28.1%)	983.90(27.9%)	983.90(28.0%)
TaylorCrk_Inflows	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	81.92(2.3%)	71.88(2.1%)	73.88(2.1%)	81.28(2.3%)	72.14(2.1%)
Caloos_Backflows	17.36(0.5%)	11.25(0.3%)	12.91(0.4%)	18.29(0.5%)	15.08(0.4%)
Eaa_Back_Pumping	53.43(1.5%)	53.35(1.5%)	53.35(1.5%)	53.17(1.5%)	53.50(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	79.75(2.3%)	68.22(2.0%)	72.65(2.1%)	82.98(2.4%)	79.73(2.3%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.0%)	142.83(4.1%)
Other_Inflows	75.18(2.1%)	73.94(2.1%)	74.38(2.1%)	75.46(2.1%)	74.65(2.1%)
Total	3523.20(100.0%)	3494.20(100.0%)	3502.72(100.0%)	3526.73(100.0%)	3510.65(100.0%)

Outflows

ET	2089.20(58.6%)	2113.90(59.8%)	2107.10(59.5%)	2084.60(58.5%)	2102.20(59.2%)
StLucie_Regulatory	163.73(4.6%)	138.60(3.9%)	137.41(3.9%)	186.10(5.2%)	125.67(3.5%)
StLucie_Ag_Dmds	26.67(0.7%)	27.44(0.8%)	27.26(0.8%)	26.48(0.7%)	27.09(0.8%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	462.37(13.0%)	401.86(11.4%)	428.01(12.1%)	436.49(12.2%)	514.00(14.5%)
Caloos_Ag_Dmds	115.60(3.2%)	118.63(3.4%)	118.13(3.3%)	114.93(3.2%)	117.39(3.3%)
Caloos_Estuary_Min	37.91(1.1%)	33.66(1.0%)	31.93(0.9%)	39.43(1.1%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	58.12(1.6%)	60.15(1.7%)	60.09(1.7%)	58.17(1.6%)	59.15(1.7%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	331.19(9.3%)	336.72(9.5%)	335.76(9.5%)	329.45(9.2%)	334.51(9.4%)
Water_Supp_to_LEC	20.53(0.6%)	24.22(0.7%)	23.45(0.7%)	18.88(0.5%)	23.88(0.7%)
Water_Supp_Glades	1.33(0.0%)	1.43(0.0%)	1.41(0.0%)	1.34(0.0%)	1.26(0.0%)
Water_Supp_to_STAs	2.36(0.1%)	2.38(0.1%)	2.38(0.1%)	2.30(0.1%)	2.43(0.1%)
L8_Basin_Ag_Dmds	120.05(3.4%)	134.97(3.8%)	130.15(3.7%)	133.80(3.8%)	104.14(2.9%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	135.24(3.8%)	139.01(3.9%)	138.58(3.9%)	134.11(3.8%)	137.37(3.9%)
Total	3564.30(100.0%)	3532.98(100.0%)	3541.66(100.0%)	3566.07(100.0%)	3549.09(100.0%)
SW_Storage_Change	-40.60(-1.2%)	-38.20(-1.1%)	-38.40(-1.1%)	-38.80(-1.1%)	-37.90(-1.1%)
RESIDUAL	-0.50(-0.0%)	-0.58(-0.0%)	-0.54(-0.0%)	-0.54(-0.0%)	-0.54(-0.0%)