

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	alt4	alt1a	alt1b	alt2a	alt2b
Inflows					

Rainfall	1421.68(59.8%)	1421.68(60.7%)	1421.68(60.4%)	1421.68(59.7%)	1421.68(60.0%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.4%)	485.64(20.7%)	485.64(20.6%)	485.64(20.4%)	485.64(20.5%)
TaylorCrk_Inflows	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)	104.52(4.4%)	105.98(4.5%)
Caloos_Backflows	57.98(2.4%)	36.66(1.6%)	45.14(1.9%)	63.11(2.6%)	54.24(2.3%)
Eaa_Back_Pumping	47.52(2.0%)	46.67(2.0%)	46.68(2.0%)	46.64(2.0%)	47.02(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	78.05(3.3%)	69.58(3.0%)	71.33(3.0%)	80.83(3.4%)	74.73(3.2%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	67.79(2.9%)	65.66(2.8%)	66.19(2.8%)	67.40(2.8%)	66.41(2.8%)
Total	2376.59(100.0%)	2343.83(100.0%)	2354.60(100.0%)	2381.77(100.0%)	2367.66(100.0%)
Outflows					

ET	2019.46(68.2%)	2076.28(67.1%)	2059.30(67.3%)	2006.84(69.2%)	2046.54(69.0%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	2.87(0.1%)	0.00(0.0%)
StLucie_Ag_Dmds	38.22(1.3%)	41.30(1.3%)	40.44(1.3%)	37.49(1.3%)	39.47(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	2.99(0.1%)	3.27(0.1%)	3.12(0.1%)	2.94(0.1%)	2.96(0.1%)
Caloos_Ag_Dmds	161.71(5.5%)	171.78(5.5%)	170.30(5.6%)	157.90(5.4%)	165.87(5.6%)
Caloos_Estuary_Min	31.26(1.1%)	20.52(0.7%)	18.56(0.6%)	22.03(0.8%)	0.00(0.0%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	29.86(1.0%)	32.42(1.0%)	28.86(0.9%)	7.00(0.2%)	0.00(0.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	381.39(12.9%)	406.51(13.1%)	401.03(13.1%)	369.10(12.7%)	391.42(13.2%)
Water_Supp_to_LEC	75.05(2.5%)	87.58(2.8%)	87.45(2.9%)	65.77(2.3%)	93.84(3.2%)
Water_Supp_Glades	5.60(0.2%)	5.73(0.2%)	5.66(0.2%)	5.47(0.2%)	5.94(0.2%)
Water_Supp_to_STAs	2.83(0.1%)	2.79(0.1%)	2.79(0.1%)	2.48(0.1%)	2.99(0.1%)
L8_Basin_Ag_Dmds	48.55(1.6%)	74.40(2.4%)	67.70(2.2%)	62.62(2.2%)	49.26(1.7%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	162.38(5.5%)	173.87(5.6%)	172.72(5.6%)	158.33(5.5%)	167.84(5.7%)
Total	2959.29(100.0%)	3096.46(100.0%)	3057.92(100.0%)	2900.83(100.0%)	2966.13(100.0%)
SW_Storage_Change	-582.76(-24.5%)	-752.64(-32.1%)	-703.36(-29.9%)	-519.10(-21.8%)	-598.52(-25.3%)
RESIDUAL	0.06(0.0%)	0.01(0.0%)	0.04(0.0%)	0.04(0.0%)	0.05(0.0%)