

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

\*\*\*\*\*

lors-fwo      albS2-A      alt2a-B      alt3-B      alt4-A

**Inflows**

-----

|                   |                 |                 |                 |                 |                 |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Rainfall          | 1667.00( 47.9%) | 1667.00( 47.5%) | 1667.00( 47.2%) | 1667.00( 48.0%) | 1667.00( 47.3%) |
| MDS_NET           | 284.20( 8.2%)   | 284.20( 8.1%)   | 284.20( 8.0%)   | 284.20( 8.2%)   | 284.20( 8.1%)   |
| Kissimmee_Inflows | 983.90( 28.3%)  | 983.90( 28.0%)  | 983.90( 27.9%)  | 983.90( 28.3%)  | 983.90( 27.9%)  |
| TaylorCrk_Inflows | 137.62( 4.0%)   | 137.62( 3.9%)   | 137.62( 3.9%)   | 137.62( 4.0%)   | 137.62( 3.9%)   |
| TayCrkRes_Inflows | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| ASR_To_LOK        | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| StLucie_Backflows | 69.39( 2.0%)    | 76.13( 2.2%)    | 85.69( 2.4%)    | 66.34( 1.9%)    | 81.77( 2.3%)    |
| Caloos_Backflows  | 9.39( 0.3%)     | 15.60( 0.4%)    | 18.02( 0.5%)    | 10.41( 0.3%)    | 17.36( 0.5%)    |
| Eaa_Back_Pumping  | 53.49( 1.5%)    | 53.33( 1.5%)    | 53.20( 1.5%)    | 53.56( 1.5%)    | 53.43( 1.5%)    |
| C43_Reservoir     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| C44_Reservoir     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| North_Storage     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| L8_Backflows      | 60.19( 1.7%)    | 76.10( 2.2%)    | 82.63( 2.3%)    | 52.51( 1.5%)    | 79.77( 2.3%)    |
| S309_Backflows    | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| UpIstokp_Inflows  | 142.83( 4.1%)   | 142.83( 4.1%)   | 142.83( 4.0%)   | 142.83( 4.1%)   | 142.83( 4.1%)   |
| Other_Inflows     | 72.84( 2.1%)    | 75.06( 2.1%)    | 75.37( 2.1%)    | 72.79( 2.1%)    | 75.18( 2.1%)    |
| Total             | 3480.85(100.0%) | 3511.78(100.0%) | 3530.47(100.0%) | 3471.16(100.0%) | 3523.07(100.0%) |

**Outflows**

-----

|                    |                 |                 |                 |                 |                 |
|--------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| ET                 | 2126.80( 60.6%) | 2097.20( 59.1%) | 2085.80( 58.4%) | 2129.30( 60.8%) | 2089.30( 58.6%) |
| StLucie_Regulatory | 138.17( 3.9%)   | 135.37( 3.8%)   | 181.37( 5.1%)   | 150.36( 4.3%)   | 164.05( 4.6%)   |
| StLucie_Ag_Dmds    | 27.59( 0.8%)    | 26.83( 0.8%)    | 26.54( 0.7%)    | 27.41( 0.8%)    | 26.67( 0.7%)    |
| StLuci_Estuary_Min | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| Caloos_Regulatory  | 358.35( 10.2%)  | 418.77( 11.8%)  | 440.43( 12.3%)  | 337.39( 9.6%)   | 461.04( 12.9%)  |
| Caloos_Ag_Dmds     | 119.09( 3.4%)   | 116.60( 3.3%)   | 115.06( 3.2%)   | 118.73( 3.4%)   | 115.60( 3.2%)   |
| Caloos_Estuary_Min | 62.04( 1.8%)    | 53.98( 1.5%)    | 39.84( 1.1%)    | 65.82( 1.9%)    | 37.94( 1.1%)    |
| Reg_to_EAA_Storage | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| Regulatory_to_Wcas | 60.13( 1.7%)    | 59.77( 1.7%)    | 59.35( 1.7%)    | 59.19( 1.7%)    | 58.75( 1.6%)    |
| Exc_Wat_StLuc_Res  | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| Exc_Wat_Caloo_Res  | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| Water_Supp_to_EAA  | 337.71( 9.6%)   | 332.35( 9.4%)   | 329.88( 9.2%)   | 337.01( 9.6%)   | 331.19( 9.3%)   |
| Water_Supp_to_LEC  | 27.47( 0.8%)    | 19.54( 0.6%)    | 18.72( 0.5%)    | 26.89( 0.8%)    | 20.53( 0.6%)    |
| Water_Supp_Glaces  | 1.51( 0.0%)     | 1.02( 0.0%)     | 1.39( 0.0%)     | 1.29( 0.0%)     | 1.33( 0.0%)     |
| Water_Supp_to_STAs | 2.45( 0.1%)     | 2.36( 0.1%)     | 2.31( 0.1%)     | 2.44( 0.1%)     | 2.36( 0.1%)     |
| L8_Basin_Ag_Dmds   | 110.76( 3.2%)   | 151.24( 4.3%)   | 134.79( 3.8%)   | 107.00( 3.1%)   | 120.22( 3.4%)   |
| North_Storage      | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| LOK_To_ASР         | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     | 0.00( 0.0%)     |
| Other_Outflows     | 139.80( 4.0%)   | 136.26( 3.8%)   | 134.28( 3.8%)   | 139.07( 4.0%)   | 135.21( 3.8%)   |
| Total              | 3511.86(100.0%) | 3551.28(100.0%) | 3569.74(100.0%) | 3501.88(100.0%) | 3564.19(100.0%) |
| SW_Storage_Change  | -30.50( -0.9%)  | -39.00( -1.1%)  | -38.70( -1.1%)  | -30.20( -0.9%)  | -40.60( -1.2%)  |
| RESIDUAL           | -0.51( -0.0%)   | -0.50( -0.0%)   | -0.57( -0.0%)   | -0.52( -0.0%)   | -0.52( -0.0%)   |