

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	lors-fwo	a1bS2-A	alt2a-B	alt3-B	alt4-A
Inflows					

Rainfall	1421.68(61.1%)	1421.68(60.2%)	1421.68(59.7%)	1421.68(60.8%)	1421.68(59.8%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.9%)	485.64(20.6%)	485.64(20.4%)	485.64(20.8%)	485.64(20.4%)
TaylorCrk_Inflows	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.98(4.6%)	105.98(4.5%)	105.98(4.4%)	105.98(4.5%)	105.98(4.5%)
Caloos_Backflows	25.94(1.1%)	48.36(2.0%)	62.26(2.6%)	33.70(1.4%)	57.98(2.4%)
Eaa_Back_Pumping	47.06(2.0%)	46.71(2.0%)	46.61(2.0%)	47.12(2.0%)	47.52(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	66.79(2.9%)	74.40(3.2%)	80.07(3.4%)	68.32(2.9%)	78.05(3.3%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(3.0%)	69.10(2.9%)	69.10(2.9%)	69.10(3.0%)	69.10(2.9%)
Other_Inflows	63.43(2.7%)	66.27(2.8%)	67.49(2.8%)	63.79(2.7%)	67.79(2.9%)
Total	2328.47(100.0%)	2361.00(100.0%)	2381.69(100.0%)	2338.18(100.0%)	2376.59(100.0%)
Outflows					

ET	2102.52(67.0%)	2047.60(66.1%)	2008.82(69.2%)	2088.90(67.1%)	2019.46(68.2%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	41.71(1.3%)	39.64(1.3%)	37.50(1.3%)	41.05(1.3%)	38.22(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.38(0.1%)	3.10(0.1%)	2.95(0.1%)	3.25(0.1%)	2.99(0.1%)
Caloos_Ag_Dmds	172.32(5.5%)	167.33(5.4%)	158.20(5.4%)	171.17(5.5%)	161.71(5.5%)
Caloos_Estuary_Min	57.61(1.8%)	52.09(1.7%)	22.75(0.8%)	57.55(1.8%)	31.26(1.1%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	0.47(0.0%)	37.83(1.2%)	7.70(0.3%)	9.53(0.3%)	29.86(1.0%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	409.97(13.1%)	390.52(12.6%)	370.33(12.7%)	405.69(13.0%)	381.39(12.9%)
Water_Supp_to_LEC	102.08(3.3%)	74.72(2.4%)	65.00(2.2%)	96.91(3.1%)	75.05(2.5%)
Water_Supp_Glaces	6.40(0.2%)	3.88(0.1%)	5.55(0.2%)	5.28(0.2%)	5.60(0.2%)
Water_Supp_to_STAs	3.05(0.1%)	2.77(0.1%)	2.50(0.1%)	3.08(0.1%)	2.83(0.1%)
L8_Basin_Ag_Dmds	61.18(2.0%)	109.19(3.5%)	64.77(2.2%)	57.65(1.9%)	48.55(1.6%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	175.95(5.6%)	168.91(5.5%)	158.55(5.5%)	175.12(5.6%)	162.38(5.5%)
Total	3136.65(100.0%)	3097.57(100.0%)	2904.62(100.0%)	3115.19(100.0%)	2959.29(100.0%)
SW_Storage_Change	-808.20(-34.7%)	-736.58(-31.2%)	-522.96(-22.0%)	-777.04(-33.2%)	-582.76(-24.5%)
RESIDUAL	0.02(0.0%)	0.01(0.0%)	0.03(0.0%)	0.03(0.0%)	0.06(0.0%)