

Annual Irrigation Supply and Demand Not Met for Other LOSA Basins

Annual Totals (1000 acft) for CALOOS BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	94.21	0.00	0.0	94.21	0.00	0.0	94.21	0.00	0.0	94.21	0.00	0.0	94.21	0.00	0.0
1966	97.92	0.00	0.0	97.92	0.00	0.0	97.92	0.00	0.0	97.92	0.00	0.0	97.92	0.00	0.0
1967	172.35	0.00	0.0	172.35	0.00	0.0	172.35	0.00	0.0	172.35	0.00	0.0	172.35	0.00	0.0
1968	133.43	0.00	0.0	133.43	0.00	0.0	133.43	0.00	0.0	133.43	0.00	0.0	133.43	0.00	0.0
1969	80.30	0.00	0.0	80.30	0.00	0.0	80.30	0.00	0.0	80.30	0.00	0.0	80.30	0.00	0.0
1970	86.26	0.00	0.0	86.26	0.00	0.0	86.26	0.00	0.0	86.26	0.00	0.0	86.26	0.00	0.0
1971	207.03	0.00	0.0	207.03	0.00	0.0	207.03	16.30	7.9	207.03	0.00	0.0	207.03	0.00	0.0
1972	159.49	0.00	0.0	159.49	17.60	11.0	159.49	16.22	10.2	159.49	1.84	1.2	159.49	12.54	7.9
1973	118.19	0.00	0.0	118.19	0.00	0.0	118.19	0.00	0.0	118.19	0.00	0.0	118.19	0.00	0.0
1974	161.04	5.56	3.5	161.04	14.31	8.9	161.04	14.15	8.8	161.04	7.96	4.9	161.04	12.71	7.9
1975	154.27	0.00	0.0	154.27	0.00	0.0	154.27	0.00	0.0	154.27	0.00	0.0	154.27	0.00	0.0
1976	131.18	0.00	0.0	131.18	0.00	0.0	131.18	0.00	0.0	131.18	0.00	0.0	131.18	0.00	0.0
1977	142.56	9.10	6.4	142.56	10.31	7.2	142.56	10.03	7.0	142.56	9.05	6.4	142.56	9.93	7.0
1978	85.78	0.00	0.0	85.78	0.00	0.0	85.78	0.00	0.0	85.78	0.00	0.0	85.78	0.00	0.0
1979	88.56	0.00	0.0	88.56	0.00	0.0	88.56	0.00	0.0	88.56	0.00	0.0	88.56	0.00	0.0
1980	157.01	0.00	0.0	157.01	0.00	0.0	157.01	0.00	0.0	157.01	0.00	0.0	157.01	0.00	0.0
1981	247.38	37.18	15.0	247.38	57.84	23.4	247.38	88.58	35.8	247.38	42.92	17.3	247.38	87.13	35.2
1982	121.82	7.26	6.0	121.82	13.69	11.2	121.82	30.95	25.4	121.82	8.19	6.7	121.82	28.64	23.5
1983	63.51	0.00	0.0	63.51	0.00	0.0	63.51	0.00	0.0	63.51	0.00	0.0	63.51	0.00	0.0
1984	99.70	0.00	0.0	99.70	0.00	0.0	99.70	0.00	0.0	99.70	0.00	0.0	99.70	0.00	0.0
1985	141.66	0.00	0.0	141.66	0.00	0.0	141.66	0.03	0.0	141.66	0.00	0.0	141.66	0.00	0.0
1986	132.51	0.00	0.0	132.51	0.00	0.0	132.51	0.00	0.0	132.51	0.00	0.0	132.51	0.00	0.0
1987	54.00	0.00	0.0	54.00	3.91	7.2	54.00	3.32	6.1	54.00	0.00	0.0	54.00	2.82	5.2
1988	140.64	0.00	0.0	140.64	0.00	0.0	140.64	0.00	0.0	140.64	0.00	0.0	140.64	0.00	0.0
1989	149.35	0.00	0.0	149.35	4.70	3.1	149.35	3.77	2.5	149.35	0.00	0.0	149.35	3.61	2.4
1990	152.73	6.52	4.3	152.73	17.29	11.3	152.73	14.57	9.5	152.73	7.98	5.2	152.73	14.49	9.5
1991	85.38	0.00	0.0	85.38	0.00	0.0	85.38	0.00	0.0	85.38	0.00	0.0	85.38	0.00	0.0
1992	99.96	0.00	0.0	99.96	0.00	0.0	99.96	0.00	0.0	99.96	0.00	0.0	99.96	0.00	0.0
1993	96.05	0.00	0.0	96.05	0.00	0.0	96.05	0.00	0.0	96.05	0.00	0.0	96.05	0.00	0.0
1994	61.33	0.00	0.0	61.33	0.00	0.0	61.33	0.00	0.0	61.33	0.00	0.0	61.33	0.00	0.0
1995	55.21	0.00	0.0	55.21	0.00	0.0	55.21	0.00	0.0	55.21	0.00	0.0	55.21	0.00	0.0
1996	110.11	0.00	0.0	110.11	0.00	0.0	110.11	0.00	0.0	110.11	0.00	0.0	110.11	0.00	0.0
1997	75.00	0.00	0.0	75.00	0.00	0.0	75.00	0.00	0.0	75.00	0.00	0.0	75.00	0.00	0.0
1998	74.62	0.00	0.0	74.62	0.00	0.0	74.62	0.00	0.0	74.62	0.00	0.0	74.62	0.00	0.0
1999	122.43	0.00	0.0	122.43	0.00	0.0	122.43	0.00	0.0	122.43	0.00	0.0	122.43	0.00	0.0
2000	217.37	0.00	0.0	217.37	16.65	7.7	217.37	15.47	7.1	217.37	0.00	0.0	217.37	21.04	9.7
Avg	121.40	1.82	1.5	121.40	4.34	3.6	121.40	5.93	4.9	121.40	2.17	1.8	121.40	5.36	4.4

Annual Totals (1000 acft) for ST_LUCIE BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	29.94	0.00	0.0	29.94	0.00	0.0	29.94	0.00	0.0	29.94	0.00	0.0	29.94	0.00	0.0
1966	8.12	0.00	0.0	8.12	0.00	0.0	8.12	0.00	0.0	8.12	0.00	0.0	8.12	0.00	0.0
1967	41.56	0.00	0.0	41.56	0.00	0.0	41.56	0.00	0.0	41.56	0.00	0.0	41.56	0.00	0.0
1968	41.45	0.00	0.0	41.45	0.00	0.0	41.45	0.00	0.0	41.45	0.00	0.0	41.45	0.00	0.0
1969	16.68	0.00	0.0	16.68	0.00	0.0	16.68	0.00	0.0	16.68	0.00	0.0	16.68	0.00	0.0
1970	22.37	0.00	0.0	22.37	0.00	0.0	22.37	0.00	0.0	22.37	0.00	0.0	22.37	0.00	0.0

1971	39.04	0.00	0.0	39.04	0.00	0.0	39.04	3.11	8.0	39.04	0.00	0.0	39.04	0.00	0.0
1972	28.50	0.00	0.0	28.50	2.31	8.1	28.50	2.13	7.5	28.50	0.85	3.0	28.50	1.57	5.5
1973	29.15	0.00	0.0	29.15	0.00	0.0	29.15	0.00	0.0	29.15	0.00	0.0	29.15	0.00	0.0
1974	36.51	2.01	5.5	36.51	4.85	13.3	36.51	4.83	13.2	36.51	3.05	8.4	36.51	4.31	11.8
1975	33.04	0.00	0.0	33.04	0.00	0.0	33.04	0.00	0.0	33.04	0.00	0.0	33.04	0.00	0.0
1976	35.31	0.00	0.0	35.31	0.00	0.0	35.31	0.00	0.0	35.31	0.00	0.0	35.31	0.00	0.0
1977	42.85	2.59	6.1	42.85	5.18	12.1	42.85	5.17	12.1	42.85	2.59	6.0	42.85	5.17	12.1
1978	15.18	0.00	0.0	15.18	0.00	0.0	15.18	0.00	0.0	15.18	0.00	0.0	15.18	0.00	0.0
1979	19.57	0.00	0.0	19.57	0.00	0.0	19.57	0.00	0.0	19.57	0.00	0.0	19.57	0.00	0.0
1980	35.16	0.00	0.0	35.16	0.00	0.0	35.16	0.00	0.0	35.16	0.00	0.0	35.16	0.00	0.0
1981	65.27	9.66	14.8	65.27	19.02	29.1	65.27	26.59	40.7	65.27	12.95	19.8	65.27	26.15	40.1
1982	9.30	0.59	6.3	9.30	1.89	20.3	9.30	4.54	48.8	9.30	0.81	8.7	9.30	4.26	45.8
1983	12.10	0.00	0.0	12.10	0.00	0.0	12.10	0.00	0.0	12.10	0.00	0.0	12.10	0.00	0.0
1984	18.85	0.00	0.0	18.85	0.00	0.0	18.85	0.00	0.0	18.85	0.00	0.0	18.85	0.00	0.0
1985	39.81	0.00	0.0	39.81	0.00	0.0	39.81	0.00	0.0	39.81	0.00	0.0	39.81	0.00	0.0
1986	26.72	0.00	0.0	26.72	0.00	0.0	26.72	0.00	0.0	26.72	0.00	0.0	26.72	0.00	0.0
1987	37.06	0.00	0.0	37.06	1.53	4.1	37.06	0.67	1.8	37.06	0.00	0.0	37.06	0.20	0.5
1988	40.16	0.00	0.0	40.16	0.00	0.0	40.16	0.00	0.0	40.16	0.00	0.0	40.16	0.00	0.0
1989	41.69	0.62	1.5	41.69	1.61	3.9	41.69	1.66	4.0	41.69	0.62	1.5	41.69	1.61	3.9
1990	35.96	1.83	5.1	35.96	6.20	17.2	35.96	4.35	12.1	35.96	2.89	8.0	35.96	4.46	12.4
1991	2.81	0.00	0.0	2.81	0.00	0.0	2.81	0.00	0.0	2.81	0.00	0.0	2.81	0.00	0.0
1992	16.47	0.00	0.0	16.47	0.00	0.0	16.47	0.00	0.0	16.47	0.00	0.0	16.47	0.00	0.0
1993	20.36	0.00	0.0	20.36	0.00	0.0	20.36	0.00	0.0	20.36	0.00	0.0	20.36	0.00	0.0
1994	5.90	0.00	0.0	5.90	0.00	0.0	5.90	0.00	0.0	5.90	0.00	0.0	5.90	0.00	0.0
1995	10.05	0.00	0.0	10.05	0.00	0.0	10.05	0.00	0.0	10.05	0.00	0.0	10.05	0.00	0.0
1996	29.59	0.00	0.0	29.59	0.00	0.0	29.59	0.00	0.0	29.59	0.00	0.0	29.59	0.00	0.0
1997	18.94	0.00	0.0	18.94	0.00	0.0	18.94	0.00	0.0	18.94	0.00	0.0	18.94	0.00	0.0
1998	24.70	0.00	0.0	24.70	0.00	0.0	24.70	0.00	0.0	24.70	0.00	0.0	24.70	0.00	0.0
1999	35.40	0.00	0.0	35.40	0.00	0.0	35.40	0.00	0.0	35.40	0.00	0.0	35.40	0.00	0.0
2000	44.94	0.00	0.0	44.94	2.13	4.7	44.94	2.09	4.7	44.94	0.00	0.0	44.94	2.58	5.7
Avg	28.07	0.48	1.7	28.07	1.24	4.4	28.07	1.53	5.5	28.07	0.66	2.4	28.07	1.40	5.0

Annual Totals (1000 acft) for S4 BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	28.75	0.00	0.0	28.75	0.00	0.0	28.75	0.00	0.0	28.75	0.00	0.0	28.75	0.00	0.0
1966	24.11	0.00	0.0	24.11	0.00	0.0	24.11	0.00	0.0	24.11	0.00	0.0	24.11	0.00	0.0
1967	46.06	0.00	0.0	46.06	0.00	0.0	46.06	0.00	0.0	46.06	0.00	0.0	46.06	0.00	0.0
1968	40.37	0.00	0.0	40.37	0.00	0.0	40.37	0.00	0.0	40.37	0.00	0.0	40.37	0.00	0.0
1969	18.21	0.00	0.0	18.21	0.00	0.0	18.21	0.00	0.0	18.21	0.00	0.0	18.21	0.00	0.0
1970	36.35	0.00	0.0	36.35	0.00	0.0	36.35	0.00	0.0	36.35	0.00	0.0	36.35	0.00	0.0
1971	45.67	0.00	0.0	45.67	0.00	0.0	45.67	4.10	9.0	45.67	0.00	0.0	45.67	0.00	0.0
1972	49.79	0.00	0.0	49.79	5.84	11.7	49.79	5.34	10.7	49.79	0.48	1.0	49.79	3.76	7.5
1973	33.76	0.00	0.0	33.76	0.00	0.0	33.76	0.45	1.3	33.76	0.00	0.0	33.76	0.00	0.0
1974	50.89	1.87	3.7	50.89	3.99	7.8	50.89	3.95	7.8	50.89	2.38	4.7	50.89	3.53	6.9
1975	41.38	0.00	0.0	41.38	0.00	0.0	41.38	0.00	0.0	41.38	0.00	0.0	41.38	0.00	0.0
1976	43.06	0.00	0.0	43.06	0.00	0.0	43.06	0.00	0.0	43.06	0.00	0.0	43.06	0.00	0.0
1977	36.14	2.51	6.9	36.14	5.64	15.6	36.14	4.47	12.4	36.14	2.49	6.9	36.14	4.43	12.2
1978	20.69	0.00	0.0	20.69	0.00	0.0	20.69	0.00	0.0	20.69	0.00	0.0	20.69	0.00	0.0
1979	29.47	0.00	0.0	29.47	0.00	0.0	29.47	0.00	0.0	29.47	0.00	0.0	29.47	0.00	0.0
1980	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0
1981	73.03	13.03	17.8	73.03	20.30	27.8	73.03	28.69	39.3	73.03	15.66	21.4	73.03	28.26	38.7
1982	28.94	1.05	3.6	28.94	2.89	10.0	28.94	7.60	26.3	28.94	1.29	4.5	28.94	6.96	24.0
1983	31.25	0.00	0.0	31.25	0.00	0.0	31.25	0.00	0.0	31.25	0.00	0.0	31.25	0.00	0.0
1984	28.36	0.00	0.0	28.36	0.00	0.0	28.36	0.00	0.0	28.36	0.00	0.0	28.36	0.00	0.0
1985	33.74	0.00	0.0	33.74	0.00	0.0	33.74	0.07	0.2	33.74	0.00	0.0	33.74	0.00	0.0
1986	33.86	0.00	0.0	33.86	0.00	0.0	33.86	0.00	0.0	33.86	0.00	0.0	33.86	0.00	0.0

1987	36.60	0.00	0.0	36.60	2.35	6.4	36.60	2.12	5.8	36.60	0.00	0.0	36.60	1.80	4.9
1988	40.94	0.00	0.0	40.94	0.00	0.0	40.94	0.00	0.0	40.94	0.00	0.0	40.94	0.00	0.0
1989	40.86	0.02	0.0	40.86	2.96	7.2	40.86	2.86	7.0	40.86	0.01	0.0	40.86	2.33	5.7
1990	41.21	2.55	6.2	41.21	5.18	12.6	41.21	4.29	10.4	41.21	3.20	7.8	41.21	4.29	10.4
1991	21.72	0.00	0.0	21.72	0.00	0.0	21.72	0.00	0.0	21.72	0.00	0.0	21.72	0.00	0.0
1992	35.18	0.00	0.0	35.18	0.00	0.0	35.18	0.00	0.0	35.18	0.00	0.0	35.18	0.00	0.0
1993	37.29	0.00	0.0	37.29	0.00	0.0	37.29	0.00	0.0	37.29	0.00	0.0	37.29	0.00	0.0
1994	13.18	0.00	0.0	13.18	0.00	0.0	13.18	0.00	0.0	13.18	0.00	0.0	13.18	0.00	0.0
1995	20.24	0.00	0.0	20.24	0.00	0.0	20.24	0.00	0.0	20.24	0.00	0.0	20.24	0.00	0.0
1996	43.42	0.00	0.0	43.42	0.00	0.0	43.42	0.00	0.0	43.42	0.00	0.0	43.42	0.00	0.0
1997	22.97	0.00	0.0	22.97	0.00	0.0	22.97	0.00	0.0	22.97	0.00	0.0	22.97	0.00	0.0
1998	33.67	0.00	0.0	33.67	0.00	0.0	33.67	0.00	0.0	33.67	0.00	0.0	33.67	0.00	0.0
1999	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0	32.27	0.00	0.0
2000	70.09	0.00	0.0	70.09	6.72	9.6	70.09	6.32	9.0	70.09	0.00	0.0	70.09	9.35	13.3
Avg	35.99	0.58	1.6	35.99	1.55	4.3	35.99	1.95	5.4	35.99	0.71	2.0	35.99	1.80	5.0

Annual Totals (1000 acft) for S236 BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	9.26	0.00	0.0	9.26	0.00	0.0	9.26	0.00	0.0	9.26	0.00	0.0	9.26	0.00	0.0
1966	6.51	0.00	0.0	6.51	0.00	0.0	6.51	0.00	0.0	6.51	0.00	0.0	6.51	0.00	0.0
1967	11.81	0.00	0.0	11.81	0.00	0.0	11.81	0.00	0.0	11.81	0.00	0.0	11.81	0.00	0.0
1968	7.90	0.00	0.0	7.90	0.00	0.0	7.90	0.00	0.0	7.90	0.00	0.0	7.90	0.00	0.0
1969	4.05	0.00	0.0	4.05	0.00	0.0	4.05	0.00	0.0	4.05	0.00	0.0	4.05	0.00	0.0
1970	8.72	0.00	0.0	8.72	0.00	0.0	8.72	0.00	0.0	8.72	0.00	0.0	8.72	0.00	0.0
1971	10.01	0.00	0.0	10.01	0.00	0.0	10.32	1.36	13.2	10.01	0.00	0.0	10.13	0.36	3.5
1972	7.33	0.00	0.0	7.65	0.83	10.9	7.61	0.77	10.1	7.34	0.07	0.9	7.48	0.52	6.9
1973	7.02	0.00	0.0	7.03	0.00	0.0	7.03	0.01	0.1	7.02	0.00	0.0	7.03	0.00	0.0
1974	9.31	0.79	8.4	10.05	1.57	15.6	10.04	1.56	15.5	9.60	1.09	11.3	9.96	1.47	14.8
1975	7.65	0.00	0.0	7.65	0.00	0.0	7.65	0.00	0.0	7.65	0.00	0.0	7.65	0.00	0.0
1976	7.85	0.00	0.0	7.85	0.00	0.0	7.85	0.00	0.0	7.85	0.00	0.0	7.85	0.00	0.0
1977	7.90	0.34	4.3	7.99	0.65	8.1	7.97	0.58	7.2	7.90	0.34	4.3	7.97	0.56	7.1
1978	4.70	0.00	0.0	4.70	0.00	0.0	4.70	0.00	0.0	4.70	0.00	0.0	4.70	0.00	0.0
1979	8.22	0.00	0.0	8.22	0.00	0.0	8.22	0.00	0.0	8.22	0.00	0.0	8.22	0.00	0.0
1980	7.64	0.00	0.0	7.64	0.00	0.0	7.64	0.00	0.0	7.64	0.00	0.0	7.64	0.00	0.0
1981	14.02	2.48	17.6	15.27	4.97	32.5	16.91	7.54	44.6	14.24	3.34	23.5	16.86	7.43	44.1
1982	6.68	0.27	4.0	7.11	0.57	7.9	7.40	1.64	22.1	6.83	0.31	4.5	7.36	1.46	19.9
1983	6.61	0.00	0.0	6.61	0.00	0.0	6.61	0.00	0.0	6.61	0.00	0.0	6.61	0.00	0.0
1984	8.75	0.00	0.0	8.75	0.00	0.0	8.75	0.00	0.0	8.75	0.00	0.0	8.75	0.00	0.0
1985	8.11	0.00	0.0	8.11	0.00	0.0	8.12	0.17	2.1	8.11	0.00	0.0	8.11	0.01	0.1
1986	7.52	0.00	0.0	7.52	0.00	0.0	7.52	0.00	0.0	7.52	0.00	0.0	7.52	0.00	0.0
1987	10.35	0.00	0.0	10.45	0.38	3.7	10.43	0.30	2.9	10.35	0.00	0.0	10.41	0.23	2.2
1988	10.11	0.00	0.0	10.11	0.00	0.0	10.11	0.00	0.0	10.11	0.00	0.0	10.11	0.00	0.0
1989	11.29	0.19	1.7	11.73	1.26	10.7	11.76	1.41	12.0	11.29	0.19	1.7	11.71	1.27	10.9
1990	8.61	0.76	8.8	9.10	1.83	20.2	8.92	1.38	15.4	8.74	1.02	11.6	8.92	1.39	15.6
1991	5.95	0.00	0.0	5.95	0.00	0.0	5.95	0.00	0.0	5.95	0.00	0.0	5.95	0.00	0.0
1992	7.58	0.00	0.0	7.58	0.00	0.0	7.58	0.00	0.0	7.58	0.00	0.0	7.58	0.00	0.0
1993	7.86	0.00	0.0	7.86	0.00	0.0	7.86	0.00	0.0	7.86	0.00	0.0	7.86	0.00	0.0
1994	5.28	0.00	0.0	5.28	0.00	0.0	5.28	0.00	0.0	5.28	0.00	0.0	5.28	0.00	0.0
1995	5.55	0.00	0.0	5.55	0.00	0.0	5.55	0.00	0.0	5.55	0.00	0.0	5.55	0.00	0.0
1996	7.34	0.00	0.0	7.34	0.00	0.0	7.34	0.00	0.0	7.34	0.00	0.0	7.34	0.00	0.0
1997	4.31	0.00	0.0	4.31	0.00	0.0	4.31	0.00	0.0	4.31	0.00	0.0	4.31	0.00	0.0
1998	11.22	0.00	0.0	11.22	0.00	0.0	11.22	0.00	0.0	11.22	0.00	0.0	11.22	0.00	0.0
1999	9.84	0.00	0.0	9.84	0.00	0.0	9.84	0.00	0.0	9.84	0.00	0.0	9.84	0.00	0.0
2000	13.88	0.00	0.0	14.12	0.89	6.3	14.10	0.82	5.8	13.88	0.00	0.0	14.15	1.10	7.8
Avg	8.24	0.13	1.6	8.36	0.36	4.3	8.41	0.49	5.8	8.26	0.18	2.1	8.40	0.44	5.2

Annual Totals (1000 acft) for L8 BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	10.79	0.00	0.0	10.80	0.00	0.0	10.82	0.00	0.0	10.79	0.00	0.0	10.81	0.00	0.0
1966	5.58	0.00	0.0	5.57	0.00	0.0	5.57	0.00	0.0	5.59	0.00	0.0	5.56	0.00	0.0
1967	12.79	0.00	0.0	13.14	0.00	0.0	13.17	0.00	0.0	12.63	0.00	0.0	13.19	0.00	0.0
1968	10.29	0.00	0.0	10.29	0.00	0.0	10.29	0.00	0.0	10.29	0.00	0.0	10.29	0.00	0.0
1969	5.29	0.00	0.0	5.34	0.00	0.0	5.35	0.00	0.0	5.11	0.00	0.0	5.31	0.00	0.0
1970	8.26	0.00	0.0	8.23	0.00	0.0	8.81	0.00	0.0	8.25	0.00	0.0	8.53	0.00	0.0
1971	14.65	0.00	0.0	15.07	0.00	0.0	15.50	1.41	9.1	14.74	0.00	0.0	15.34	0.19	1.3
1972	8.61	0.00	0.0	9.12	0.55	6.0	9.11	0.50	5.5	8.72	0.08	0.9	8.97	0.27	3.0
1973	10.54	0.00	0.0	10.60	0.00	0.0	10.60	0.01	0.1	10.55	0.00	0.0	10.59	0.00	0.0
1974	10.60	0.28	2.6	10.59	0.93	8.8	10.73	0.92	8.6	10.60	0.49	4.7	10.67	0.81	7.6
1975	10.69	0.00	0.0	10.92	0.00	0.0	11.07	0.00	0.0	10.68	0.00	0.0	11.04	0.00	0.0
1976	11.39	0.00	0.0	11.69	0.00	0.0	11.71	0.00	0.0	11.38	0.00	0.0	11.70	0.00	0.0
1977	12.68	0.69	5.4	12.74	1.03	8.1	12.74	0.95	7.5	12.68	0.68	5.4	12.73	0.94	7.4
1978	7.00	0.00	0.0	7.10	0.00	0.0	7.08	0.00	0.0	6.99	0.00	0.0	7.12	0.00	0.0
1979	9.04	0.00	0.0	9.15	0.00	0.0	9.38	0.00	0.0	9.00	0.00	0.0	9.36	0.00	0.0
1980	9.35	0.00	0.0	9.60	0.00	0.0	10.63	0.00	0.0	9.40	0.00	0.0	10.58	0.00	0.0
1981	15.52	2.05	13.2	15.52	3.68	23.7	15.52	5.47	35.2	15.52	2.59	16.7	15.52	5.33	34.3
1982	5.18	0.42	8.1	5.31	0.59	11.2	5.38	1.15	21.4	5.22	0.45	8.6	5.37	1.04	19.4
1983	2.91	0.00	0.0	3.06	0.00	0.0	3.54	0.00	0.0	2.92	0.00	0.0	3.36	0.00	0.0
1984	7.43	0.00	0.0	7.47	0.00	0.0	8.38	0.00	0.0	7.44	0.00	0.0	8.10	0.00	0.0
1985	10.46	0.00	0.0	10.88	0.00	0.0	11.20	0.18	1.6	10.63	0.00	0.0	11.12	0.07	0.7
1986	8.19	0.00	0.0	8.72	0.00	0.0	8.66	0.00	0.0	8.37	0.00	0.0	8.67	0.00	0.0
1987	10.81	0.00	0.0	11.09	0.09	0.8	11.10	0.06	0.6	10.83	0.00	0.0	11.03	0.04	0.4
1988	11.66	0.00	0.0	12.03	0.00	0.0	12.07	0.00	0.0	11.69	0.00	0.0	12.00	0.00	0.0
1989	12.61	0.07	0.6	12.59	0.93	7.4	12.59	0.90	7.2	12.61	0.08	0.6	12.59	0.87	6.9
1990	11.24	0.47	4.2	11.27	1.70	15.1	11.27	1.17	10.4	11.25	0.76	6.7	11.27	1.18	10.5
1991	4.21	0.00	0.0	4.28	0.00	0.0	4.28	0.00	0.0	4.25	0.00	0.0	4.25	0.00	0.0
1992	6.28	0.00	0.0	6.31	0.00	0.0	6.31	0.00	0.0	6.19	0.00	0.0	6.29	0.00	0.0
1993	5.32	0.00	0.0	5.72	0.00	0.0	5.94	0.00	0.0	4.89	0.00	0.0	5.80	0.00	0.0
1994	3.17	0.00	0.0	3.11	0.00	0.0	3.28	0.00	0.0	3.18	0.00	0.0	3.31	0.00	0.0
1995	7.47	0.00	0.0	7.48	0.00	0.0	7.49	0.00	0.0	7.48	0.00	0.0	7.47	0.00	0.0
1996	8.49	0.00	0.0	8.94	0.00	0.0	9.35	0.00	0.0	8.45	0.00	0.0	8.94	0.00	0.0
1997	5.12	0.00	0.0	5.56	0.00	0.0	5.54	0.00	0.0	4.74	0.00	0.0	5.32	0.00	0.0
1998	6.14	0.00	0.0	6.37	0.00	0.0	6.36	0.00	0.0	6.14	0.00	0.0	6.37	0.00	0.0
1999	10.59	0.00	0.0	10.65	0.00	0.0	10.64	0.00	0.0	10.51	0.00	0.0	10.73	0.00	0.0
2000	14.56	0.00	0.0	14.70	1.40	9.5	14.71	1.32	9.0	14.58	0.00	0.0	14.76	1.60	10.8
Avg	9.02	0.11	1.2	9.19	0.30	3.3	9.34	0.39	4.2	9.01	0.14	1.6	9.28	0.34	3.7

Annual Totals (1000 acft) for 298_DISTRICTS BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	16.09	0.00	0.0	16.09	0.00	0.0	16.09	0.00	0.0	16.09	0.00	0.0	16.09	0.00	0.0
1966	11.31	0.00	0.0	11.31	0.00	0.0	11.31	0.00	0.0	11.31	0.00	0.0	11.31	0.00	0.0
1967	20.52	0.00	0.0	20.52	0.00	0.0	20.52	0.00	0.0	20.52	0.00	0.0	20.52	0.00	0.0
1968	13.73	0.00	0.0	13.73	0.00	0.0	13.73	0.00	0.0	13.73	0.00	0.0	13.73	0.00	0.0
1969	7.03	0.00	0.0	7.03	0.00	0.0	7.03	0.00	0.0	7.03	0.00	0.0	7.03	0.00	0.0
1970	15.15	0.00	0.0	15.15	0.00	0.0	15.15	0.00	0.0	15.15	0.00	0.0	15.15	0.00	0.0
1971	17.40	0.00	0.0	17.40	0.00	0.0	17.94	2.36	13.2	17.40	0.00	0.0	17.61	0.62	3.5
1972	12.74	0.00	0.0	13.32	1.45	10.9	13.26	1.33	10.0	12.75	0.12	0.9	13.01	0.90	6.9

1973	12.19	0.00	0.0	12.24	0.00	0.0	12.24	0.01	0.1	12.19	0.00	0.0	12.24	0.00	0.0
1974	16.18	1.37	8.4	17.48	2.73	15.6	17.45	2.71	15.5	16.69	1.89	11.3	17.31	2.56	14.8
1975	13.29	0.00	0.0	13.29	0.00	0.0	13.29	0.00	0.0	13.29	0.00	0.0	13.29	0.00	0.0
1976	13.64	0.00	0.0	13.64	0.00	0.0	13.64	0.00	0.0	13.64	0.00	0.0	13.64	0.00	0.0
1977	13.75	0.60	4.3	13.91	1.12	8.1	13.88	1.00	7.2	13.75	0.59	4.3	13.87	0.98	7.0
1978	8.17	0.00	0.0	8.17	0.00	0.0	8.17	0.00	0.0	8.17	0.00	0.0	8.17	0.00	0.0
1979	14.28	0.00	0.0	14.28	0.00	0.0	14.28	0.00	0.0	14.28	0.00	0.0	14.28	0.00	0.0
1980	13.28	0.00	0.0	13.28	0.00	0.0	13.28	0.00	0.0	13.28	0.00	0.0	13.28	0.00	0.0
1981	24.45	4.30	17.6	26.55	8.64	32.5	29.47	13.11	44.5	24.79	5.81	23.4	29.38	12.92	44.0
1982	11.76	0.47	4.0	12.50	0.98	7.9	12.96	2.84	21.9	12.01	0.53	4.4	12.89	2.54	19.7
1983	11.48	0.00	0.0	11.48	0.00	0.0	11.48	0.00	0.0	11.48	0.00	0.0	11.48	0.00	0.0
1984	15.21	0.00	0.0	15.21	0.00	0.0	15.21	0.00	0.0	15.21	0.00	0.0	15.21	0.00	0.0
1985	14.09	0.00	0.0	14.09	0.00	0.0	14.11	0.31	2.2	14.09	0.00	0.0	14.09	0.02	0.2
1986	13.07	0.00	0.0	13.07	0.00	0.0	13.07	0.00	0.0	13.07	0.00	0.0	13.07	0.00	0.0
1987	17.99	0.00	0.0	18.17	0.67	3.7	18.13	0.52	2.9	17.99	0.00	0.0	18.10	0.40	2.2
1988	17.57	0.00	0.0	17.57	0.00	0.0	17.57	0.00	0.0	17.57	0.00	0.0	17.57	0.00	0.0
1989	19.63	0.34	1.7	20.43	2.19	10.7	20.47	2.46	12.0	19.63	0.34	1.7	20.39	2.22	10.9
1990	14.97	1.32	8.8	15.96	3.19	20.0	15.64	2.39	15.3	15.26	1.77	11.6	15.65	2.41	15.4
1991	10.35	0.00	0.0	10.35	0.00	0.0	10.35	0.00	0.0	10.35	0.00	0.0	10.35	0.00	0.0
1992	13.17	0.00	0.0	13.17	0.00	0.0	13.17	0.00	0.0	13.17	0.00	0.0	13.17	0.00	0.0
1993	13.67	0.00	0.0	13.67	0.00	0.0	13.67	0.00	0.0	13.67	0.00	0.0	13.67	0.00	0.0
1994	9.18	0.00	0.0	9.18	0.00	0.0	9.18	0.00	0.0	9.18	0.00	0.0	9.18	0.00	0.0
1995	9.65	0.00	0.0	9.65	0.00	0.0	9.65	0.00	0.0	9.65	0.00	0.0	9.65	0.00	0.0
1996	12.76	0.00	0.0	12.76	0.00	0.0	12.76	0.00	0.0	12.76	0.00	0.0	12.76	0.00	0.0
1997	7.49	0.00	0.0	7.49	0.00	0.0	7.49	0.00	0.0	7.49	0.00	0.0	7.49	0.00	0.0
1998	19.51	0.00	0.0	19.51	0.00	0.0	19.51	0.00	0.0	19.51	0.00	0.0	19.51	0.00	0.0
1999	17.10	0.00	0.0	17.10	0.00	0.0	17.10	0.00	0.0	17.10	0.00	0.0	17.10	0.00	0.0
2000	24.12	0.00	0.0	24.61	1.55	6.3	24.57	1.43	5.8	24.12	0.00	0.0	24.70	1.91	7.7
Avg	14.33	0.23	1.6	14.54	0.63	4.3	14.63	0.85	5.8	14.37	0.31	2.1	14.61	0.76	5.2

Annual Totals (1000 acft) for LOWER_ISTOKPOGA BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	5.19	0.00	0.0	5.19	0.00	0.0	5.19	0.00	0.0	5.19	0.00	0.0	5.19	0.00	0.0
1966	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0
1967	8.51	0.00	0.0	8.51	0.00	0.0	8.51	0.00	0.0	8.51	0.00	0.0	8.51	0.00	0.0
1968	6.66	0.00	0.0	6.66	0.00	0.0	6.66	0.00	0.0	6.66	0.00	0.0	6.66	0.00	0.0
1969	3.28	0.00	0.0	3.28	0.00	0.0	3.28	0.00	0.0	3.28	0.00	0.0	3.28	0.00	0.0
1970	4.52	0.00	0.0	4.52	0.00	0.0	4.52	0.00	0.0	4.52	0.00	0.0	4.52	0.00	0.0
1971	8.38	0.00	0.0	8.38	0.00	0.0	8.38	0.86	10.3	8.38	0.00	0.0	8.38	0.00	0.0
1972	8.84	0.00	0.0	8.84	0.85	9.7	8.84	0.79	9.0	8.84	0.03	0.4	8.84	0.53	6.0
1973	5.20	0.00	0.0	5.20	0.00	0.0	5.20	0.01	0.3	5.20	0.00	0.0	5.20	0.00	0.0
1974	8.37	0.45	5.4	8.37	0.84	10.0	8.37	0.83	9.9	8.37	0.56	6.7	8.37	0.76	9.0
1975	10.13	0.00	0.0	10.13	0.00	0.0	10.13	0.00	0.0	10.13	0.00	0.0	10.13	0.00	0.0
1976	9.00	0.00	0.0	9.00	0.00	0.0	9.00	0.00	0.0	9.00	0.00	0.0	9.00	0.00	0.0
1977	7.99	0.35	4.3	7.99	0.99	12.4	7.99	0.86	10.7	7.99	0.34	4.3	7.99	0.85	10.7
1978	3.99	0.00	0.0	3.99	0.00	0.0	3.99	0.00	0.0	3.99	0.00	0.0	3.99	0.00	0.0
1979	5.01	0.00	0.0	5.01	0.00	0.0	5.01	0.00	0.0	5.01	0.00	0.0	5.01	0.00	0.0
1980	5.14	0.00	0.0	5.14	0.00	0.0	5.14	0.00	0.0	5.14	0.00	0.0	5.14	0.00	0.0
1981	11.34	1.75	15.5	11.34	2.78	24.5	11.34	4.09	36.0	11.34	2.13	18.7	11.34	4.02	35.4
1982	5.06	0.33	6.6	5.06	0.65	12.8	5.06	1.19	23.6	5.06	0.36	7.2	5.06	1.13	22.4
1983	2.59	0.00	0.0	2.59	0.00	0.0	2.59	0.00	0.0	2.59	0.00	0.0	2.59	0.00	0.0
1984	5.29	0.00	0.0	5.29	0.00	0.0	5.29	0.00	0.0	5.29	0.00	0.0	5.29	0.00	0.0
1985	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.13	1.7	7.63	0.00	0.0	7.63	0.09	1.2
1986	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.00	0.0	7.63	0.00	0.0
1987	6.13	0.00	0.0	6.13	0.34	5.5	6.13	0.19	3.1	6.13	0.00	0.0	6.13	0.10	1.7
1988	4.56	0.00	0.0	4.56	0.00	0.0	4.56	0.00	0.0	4.56	0.00	0.0	4.56	0.00	0.0

1989	8.03	0.30	3.7	8.03	0.67	8.3	8.03	0.65	8.1	8.03	0.25	3.1	8.03	0.54	6.7
1990	6.49	0.19	2.9	6.49	0.68	10.5	6.49	0.54	8.3	6.49	0.31	4.7	6.49	0.54	8.3
1991	3.16	0.00	0.0	3.16	0.00	0.0	3.16	0.00	0.0	3.16	0.00	0.0	3.16	0.00	0.0
1992	5.51	0.00	0.0	5.51	0.00	0.0	5.51	0.00	0.0	5.51	0.00	0.0	5.51	0.00	0.0
1993	5.17	0.00	0.0	5.17	0.00	0.0	5.17	0.00	0.0	5.17	0.00	0.0	5.17	0.00	0.0
1994	2.19	0.00	0.0	2.19	0.00	0.0	2.19	0.00	0.0	2.19	0.00	0.0	2.19	0.00	0.0
1995	2.84	0.00	0.0	2.84	0.00	0.0	2.84	0.00	0.0	2.84	0.00	0.0	2.84	0.00	0.0
1996	5.58	0.00	0.0	5.58	0.00	0.0	5.58	0.00	0.0	5.58	0.00	0.0	5.58	0.00	0.0
1997	4.03	0.00	0.0	4.03	0.00	0.0	4.03	0.00	0.0	4.03	0.00	0.0	4.03	0.00	0.0
1998	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0	5.44	0.00	0.0
1999	5.97	0.00	0.0	5.97	0.00	0.0	5.97	0.00	0.0	5.97	0.00	0.0	5.97	0.00	0.0
2000	12.64	0.00	0.0	12.64	1.07	8.5	12.64	1.04	8.2	12.64	0.00	0.0	12.64	1.60	12.6
Avg	6.19	0.09	1.5	6.19	0.25	4.0	6.19	0.31	5.0	6.19	0.11	1.8	6.19	0.28	4.6

Annual Totals (1000 acft) for NORTH_LAKE_SHORE BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	1.53	0.00	0.0	1.53	0.00	0.0	1.53	0.00	0.0	1.53	0.00	0.0	1.53	0.00	0.0
1966	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0
1967	1.69	0.00	0.0	1.69	0.00	0.0	1.69	0.00	0.0	1.69	0.00	0.0	1.69	0.00	0.0
1968	1.58	0.00	0.0	1.58	0.00	0.0	1.58	0.00	0.0	1.58	0.00	0.0	1.58	0.00	0.0
1969	0.73	0.00	0.0	0.73	0.00	0.0	0.73	0.00	0.0	0.73	0.00	0.0	0.73	0.00	0.0
1970	1.15	0.00	0.0	1.15	0.00	0.0	1.15	0.00	0.0	1.15	0.00	0.0	1.15	0.00	0.0
1971	1.43	0.00	0.0	1.43	0.00	0.0	1.43	0.00	0.0	1.43	0.00	0.0	1.43	0.00	0.0
1972	1.59	0.00	0.0	1.59	0.14	8.5	1.59	0.12	7.7	1.59	0.01	0.6	1.59	0.10	6.1
1973	0.97	0.00	0.0	0.97	0.00	0.0	0.97	0.00	0.0	0.97	0.00	0.0	0.97	0.00	0.0
1974	1.74	0.05	2.7	1.74	0.11	6.1	1.74	0.10	6.0	1.74	0.07	3.8	1.74	0.10	5.5
1975	1.55	0.00	0.0	1.55	0.00	0.0	1.55	0.00	0.0	1.55	0.00	0.0	1.55	0.00	0.0
1976	1.36	0.00	0.0	1.36	0.00	0.0	1.36	0.00	0.0	1.36	0.00	0.0	1.36	0.00	0.0
1977	1.46	0.04	2.9	1.46	0.11	7.3	1.46	0.09	6.1	1.46	0.04	2.9	1.46	0.09	6.0
1978	0.98	0.00	0.0	0.98	0.00	0.0	0.98	0.00	0.0	0.98	0.00	0.0	0.98	0.00	0.0
1979	1.24	0.00	0.0	1.24	0.00	0.0	1.24	0.00	0.0	1.24	0.00	0.0	1.24	0.00	0.0
1980	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0
1981	2.32	0.29	12.5	2.32	0.51	21.9	2.32	0.73	31.3	2.32	0.37	16.1	2.32	0.71	30.7
1982	0.94	0.04	4.0	0.94	0.08	8.7	0.94	0.15	16.2	0.94	0.05	4.8	0.94	0.14	14.7
1983	1.13	0.00	0.0	1.13	0.00	0.0	1.13	0.00	0.0	1.13	0.00	0.0	1.13	0.00	0.0
1984	1.29	0.00	0.0	1.29	0.00	0.0	1.29	0.00	0.0	1.29	0.00	0.0	1.29	0.00	0.0
1985	1.51	0.00	0.0	1.51	0.00	0.0	1.51	0.00	0.0	1.51	0.00	0.0	1.51	0.00	0.0
1986	1.33	0.00	0.0	1.33	0.00	0.0	1.33	0.00	0.0	1.33	0.00	0.0	1.33	0.00	0.0
1987	1.52	0.00	0.0	1.52	0.08	5.6	1.52	0.07	4.5	1.52	0.00	0.0	1.52	0.05	3.3
1988	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0
1989	1.80	0.01	0.3	1.80	0.07	4.1	1.80	0.08	4.6	1.80	0.00	0.0	1.80	0.05	2.9
1990	1.28	0.04	3.1	1.28	0.09	6.8	1.28	0.06	4.8	1.28	0.05	3.9	1.28	0.06	4.8
1991	0.78	0.00	0.0	0.78	0.00	0.0	0.78	0.00	0.0	0.78	0.00	0.0	0.78	0.00	0.0
1992	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0
1993	1.34	0.00	0.0	1.34	0.00	0.0	1.34	0.00	0.0	1.34	0.00	0.0	1.34	0.00	0.0
1994	0.38	0.00	0.0	0.38	0.00	0.0	0.38	0.00	0.0	0.38	0.00	0.0	0.38	0.00	0.0
1995	1.04	0.00	0.0	1.04	0.00	0.0	1.04	0.00	0.0	1.04	0.00	0.0	1.04	0.00	0.0
1996	1.39	0.00	0.0	1.39	0.00	0.0	1.39	0.00	0.0	1.39	0.00	0.0	1.39	0.00	0.0
1997	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0	0.99	0.00	0.0
1998	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0	1.22	0.00	0.0
1999	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0	1.26	0.00	0.0
2000	2.34	0.00	0.0	2.34	0.18	7.7	2.34	0.17	7.3	2.34	0.00	0.0	2.34	0.24	10.2
Avg	1.32	0.01	1.0	1.32	0.04	2.9	1.32	0.04	3.3	1.32	0.02	1.2	1.32	0.04	3.2

Annual Totals (1000 acft) for NORTHEAST_LAKE_SHORE BASIN

	lors-fwo			albs2-A			alt2a-B			alt3-B			alt4-A		
	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut	Dmd	Vol-Cut	%-Cut
1965	8.79	0.00	0.0	8.79	0.00	0.0	8.79	0.00	0.0	8.79	0.00	0.0	8.79	0.00	0.0
1966	4.07	0.00	0.0	4.07	0.00	0.0	4.07	0.00	0.0	4.07	0.00	0.0	4.07	0.00	0.0
1967	9.01	0.00	0.0	9.01	0.00	0.0	9.01	0.00	0.0	9.01	0.00	0.0	9.01	0.00	0.0
1968	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0
1969	2.77	0.00	0.0	2.77	0.00	0.0	2.77	0.00	0.0	2.77	0.00	0.0	2.77	0.00	0.0
1970	6.60	0.00	0.0	6.60	0.00	0.0	6.60	0.00	0.0	6.60	0.00	0.0	6.60	0.00	0.0
1971	9.53	0.00	0.0	9.53	0.00	0.0	9.53	1.05	11.0	9.53	0.00	0.0	9.53	0.04	0.4
1972	7.10	0.00	0.0	7.10	1.06	15.0	7.10	0.97	13.6	7.10	0.11	1.6	7.10	0.63	8.9
1973	5.45	0.00	0.0	5.45	0.00	0.0	5.45	0.00	0.0	5.45	0.00	0.0	5.45	0.00	0.0
1974	10.86	0.88	8.1	10.86	1.43	13.1	10.86	1.42	13.1	10.86	1.08	9.9	10.86	1.35	12.4
1975	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0	9.69	0.00	0.0
1976	7.53	0.00	0.0	7.53	0.00	0.0	7.53	0.00	0.0	7.53	0.00	0.0	7.53	0.00	0.0
1977	7.53	0.41	5.4	7.53	0.72	9.5	7.53	0.70	9.3	7.53	0.41	5.4	7.53	0.70	9.2
1978	5.15	0.00	0.0	5.15	0.00	0.0	5.15	0.00	0.0	5.15	0.00	0.0	5.15	0.00	0.0
1979	7.42	0.00	0.0	7.42	0.00	0.0	7.42	0.00	0.0	7.42	0.00	0.0	7.42	0.00	0.0
1980	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0
1981	15.27	2.69	17.6	15.27	4.33	28.4	15.27	6.08	39.8	15.27	3.13	20.5	15.27	5.98	39.2
1982	5.46	0.06	1.0	5.46	0.36	6.6	5.46	1.14	20.9	5.46	0.11	2.0	5.46	1.00	18.3
1983	4.57	0.00	0.0	4.57	0.00	0.0	4.57	0.00	0.0	4.57	0.00	0.0	4.57	0.00	0.0
1984	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0	6.57	0.00	0.0
1985	10.78	0.00	0.0	10.78	0.00	0.0	10.78	0.14	1.3	10.78	0.00	0.0	10.78	0.14	1.3
1986	6.87	0.00	0.0	6.87	0.00	0.0	6.87	0.00	0.0	6.87	0.00	0.0	6.87	0.00	0.0
1987	7.67	0.00	0.0	7.67	0.59	7.7	7.67	0.50	6.5	7.67	0.00	0.0	7.67	0.37	4.8
1988	8.48	0.00	0.0	8.48	0.00	0.0	8.48	0.00	0.0	8.48	0.00	0.0	8.48	0.00	0.0
1989	9.09	0.00	0.0	9.09	0.45	5.0	9.09	0.49	5.4	9.09	0.00	0.0	9.09	0.47	5.2
1990	8.73	0.11	1.2	8.73	0.66	7.5	8.73	0.47	5.4	8.73	0.18	2.1	8.73	0.47	5.4
1991	4.37	0.00	0.0	4.37	0.00	0.0	4.37	0.00	0.0	4.37	0.00	0.0	4.37	0.00	0.0
1992	5.26	0.00	0.0	5.26	0.00	0.0	5.26	0.00	0.0	5.26	0.00	0.0	5.26	0.00	0.0
1993	10.04	0.00	0.0	10.04	0.00	0.0	10.04	0.00	0.0	10.04	0.00	0.0	10.04	0.00	0.0
1994	3.04	0.00	0.0	3.04	0.00	0.0	3.04	0.00	0.0	3.04	0.00	0.0	3.04	0.00	0.0
1995	6.70	0.00	0.0	6.70	0.00	0.0	6.70	0.00	0.0	6.70	0.00	0.0	6.70	0.00	0.0
1996	9.37	0.00	0.0	9.37	0.00	0.0	9.37	0.00	0.0	9.37	0.00	0.0	9.37	0.00	0.0
1997	6.88	0.00	0.0	6.88	0.00	0.0	6.88	0.00	0.0	6.88	0.00	0.0	6.88	0.00	0.0
1998	8.67	0.00	0.0	8.67	0.00	0.0	8.67	0.00	0.0	8.67	0.00	0.0	8.67	0.00	0.0
1999	9.19	0.00	0.0	9.19	0.00	0.0	9.19	0.00	0.0	9.19	0.00	0.0	9.19	0.00	0.0
2000	12.61	0.00	0.0	12.61	0.99	7.9	12.61	0.94	7.5	12.61	0.00	0.0	12.61	1.48	11.7
Avg	7.70	0.12	1.5	7.70	0.29	3.8	7.70	0.39	5.0	7.70	0.14	1.8	7.70	0.35	4.5

For Planning Purposes Only
 Run date: 06/06/06 18:01:35
 SFWMM V5.5.2
 Script used: losa_dmd_report.scr, V1.2