

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

07LORS 1bS2-aL 1bS2-mL 1b-T1 1b-T2

Inflows

	07LORS	1bS2-aL	1bS2-mL	1b-T1	1b-T2

Rainfall	1667.00(48.0%)	1667.00(47.4%)	1667.00(47.4%)	1667.00(47.4%)	1667.00(47.9%)
MDS_NET	284.20(8.2%)	284.20(8.1%)	284.20(8.1%)	284.20(8.1%)	284.20(8.2%)
Kissimmee_Inflows	983.90(28.3%)	983.90(28.0%)	983.90(28.0%)	983.90(27.9%)	983.90(28.3%)
TaylorCrk_Inflows	137.62(4.0%)	137.62(3.9%)	137.62(3.9%)	137.62(3.9%)	137.62(4.0%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	65.42(1.9%)	76.04(2.2%)	78.28(2.2%)	78.97(2.2%)	37.94(1.1%)
Caloos_Backflows	8.45(0.2%)	18.27(0.5%)	18.88(0.5%)	18.14(0.5%)	18.60(0.5%)
Eaa_Back_Pumping	53.49(1.5%)	53.72(1.5%)	53.71(1.5%)	53.48(1.5%)	53.44(1.5%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	59.10(1.7%)	76.27(2.2%)	77.80(2.2%)	78.80(2.2%)	76.97(2.2%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)	142.83(4.1%)
Other_Inflows	71.94(2.1%)	75.35(2.1%)	75.48(2.1%)	75.38(2.1%)	76.06(2.2%)
Total	3473.96(100.0%)	3515.20(100.0%)	3519.70(100.0%)	3520.33(100.0%)	3478.56(100.0%)

Outflows

	07LORS	1bS2-aL	1bS2-mL	1b-T1	1b-T2

ET	2136.20(61.0%)	2097.70(59.0%)	2095.60(58.9%)	2094.20(58.8%)	2091.40(59.4%)
StLucie_Regulatory	141.95(4.1%)	129.87(3.7%)	135.01(3.8%)	145.43(4.1%)	148.07(4.2%)
StLucie_Ag_Dmds	26.86(0.8%)	27.25(0.8%)	27.21(0.8%)	27.24(0.8%)	27.11(0.8%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	19.44(0.6%)
Caloos_Regulatory	381.50(10.9%)	402.70(11.3%)	407.88(11.5%)	422.85(11.9%)	371.39(10.6%)
Caloos_Ag_Dmds	116.59(3.3%)	117.75(3.3%)	117.60(3.3%)	117.64(3.3%)	117.27(3.3%)
Caloos_Estuary_Min	0.00(0.0%)	59.75(1.7%)	59.20(1.7%)	44.28(1.2%)	40.76(1.2%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	59.14(1.7%)	59.04(1.7%)	58.59(1.6%)	58.16(1.6%)	59.05(1.7%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	332.56(9.5%)	334.43(9.4%)	334.08(9.4%)	334.44(9.4%)	333.48(9.5%)
Water_Supp_to_LEC	41.57(1.2%)	28.87(0.8%)	28.56(0.8%)	27.71(0.8%)	27.53(0.8%)
Water_Supp_Glades	3.35(0.1%)	2.64(0.1%)	2.59(0.1%)	2.57(0.1%)	2.71(0.1%)
Water_Supp_to_STAs	2.65(0.1%)	2.49(0.1%)	2.51(0.1%)	2.54(0.1%)	2.53(0.1%)
Reg_L8_Tide	77.28(2.2%)	115.17(3.2%)	113.83(3.2%)	107.15(3.0%)	102.42(2.9%)
L8_Basin_Ag_Dmds	39.80(1.1%)	33.76(1.0%)	34.07(1.0%)	34.21(1.0%)	35.11(1.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASR	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	140.75(4.0%)	141.28(4.0%)	141.10(4.0%)	141.19(4.0%)	140.75(4.0%)
Total	3500.21(100.0%)	3552.69(100.0%)	3557.82(100.0%)	3559.62(100.0%)	3519.02(100.0%)
SW_Storage_Change	-25.70(-0.7%)	-36.90(-1.0%)	-37.60(-1.1%)	-38.70(-1.1%)	-39.80(-1.1%)
RESIDUAL	-0.55(-0.0%)	-0.59(-0.0%)	-0.52(-0.0%)	-0.59(-0.0%)	-0.66(-0.0%)