

"Mean (36 year) Annual Lake Okeechobee Inflows/Outflows in 1,000 acft"

\*\*\*\*\*

a-0407

aL-1020

m-0621

m-1020

mL-1020

**Inflows**

-----

Rainfall	1667.00( 47.5%)	1667.00( 47.4%)	1667.00( 47.4%)	1667.00( 47.4%)	1667.00( 47.4%)
MDS_NET	284.20( 8.1%)	284.20( 8.1%)	284.20( 8.1%)	284.20( 8.1%)	284.20( 8.1%)
Kissimmee_Inflows	983.90( 28.0%)	983.90( 28.0%)	983.90( 28.0%)	983.90( 28.0%)	983.90( 28.0%)
TaylorCrk_Inflows	137.62( 3.9%)	137.62( 3.9%)	137.62( 3.9%)	137.62( 3.9%)	137.62( 3.9%)
TayCrkRes_Inflows	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
ASR_To_LOK	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
StLucie_Backflows	76.13( 2.2%)	76.04( 2.2%)	77.07( 2.2%)	78.20( 2.2%)	78.28( 2.2%)
Caloos_Backflows	15.60( 0.4%)	18.27( 0.5%)	16.04( 0.5%)	17.74( 0.5%)	18.88( 0.5%)
Eaa_Back_Pumping	53.33( 1.5%)	53.72( 1.5%)	53.38( 1.5%)	53.48( 1.5%)	53.71( 1.5%)
C43_Reservoir	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
C44_Reservoir	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
North_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
L8_Backflows	76.10( 2.2%)	76.27( 2.2%)	76.80( 2.2%)	77.41( 2.2%)	77.80( 2.2%)
S309_Backflows	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
UpIstokp_Inflows	142.83( 4.1%)	142.83( 4.1%)	142.83( 4.1%)	142.83( 4.1%)	142.83( 4.1%)
Other_Inflows	75.06( 2.1%)	75.35( 2.1%)	75.12( 2.1%)	75.30( 2.1%)	75.48( 2.1%)
Total	3511.78(100.0%)	3515.20(100.0%)	3513.96(100.0%)	3517.70(100.0%)	3519.70(100.0%)

**Outflows**

-----

ET	2097.20( 59.1%)	2097.70( 59.0%)	2096.10( 59.0%)	2096.00( 58.9%)	2095.60( 58.9%)
StLucie_Regulatory	135.37( 3.8%)	129.87( 3.7%)	138.08( 3.9%)	135.43( 3.8%)	135.01( 3.8%)
StLucie_Ag_Dmds	26.83( 0.8%)	27.25( 0.8%)	26.78( 0.8%)	26.83( 0.8%)	27.21( 0.8%)
StLuci_Estuary_Min	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Caloos_Regulatory	418.77( 11.8%)	402.70( 11.3%)	421.18( 11.9%)	409.55( 11.5%)	407.88( 11.5%)
Caloos_Ag_Dmds	116.60( 3.3%)	117.75( 3.3%)	116.44( 3.3%)	116.75( 3.3%)	117.60( 3.3%)
Caloos_Estuary_Min	53.98( 1.5%)	59.75( 1.7%)	54.04( 1.5%)	59.28( 1.7%)	59.20( 1.7%)
Reg_to_EAA_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Regulatory_to_Wcas	59.77( 1.7%)	59.04( 1.7%)	59.26( 1.7%)	59.04( 1.7%)	58.59( 1.6%)
Exc_Wat_StLuc_Res	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Exc_Wat_Caloo_Res	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Water_Supp_to_EAA	332.35( 9.4%)	334.43( 9.4%)	331.93( 9.3%)	330.18( 9.3%)	334.08( 9.4%)
Water_Supp_to_LEC	19.54( 0.6%)	28.87( 0.8%)	19.58( 0.6%)	29.31( 0.8%)	28.56( 0.8%)
Water_Supp_Glades	1.02( 0.0%)	2.64( 0.1%)	0.97( 0.0%)	2.83( 0.1%)	2.59( 0.1%)
Water_Supp_to_STAs	2.36( 0.1%)	2.49( 0.1%)	2.35( 0.1%)	2.56( 0.1%)	2.51( 0.1%)
Reg_L8_Tide	116.82( 3.3%)	115.17( 3.2%)	116.16( 3.3%)	114.96( 3.2%)	113.83( 3.2%)
L8_Basin_Ag_Dmds	34.42( 1.0%)	33.76( 1.0%)	34.42( 1.0%)	34.37( 1.0%)	34.07( 1.0%)
North_Storage	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
LOK_To_ASR	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)	0.00( 0.0%)
Other_Outflows	136.26( 3.8%)	141.28( 4.0%)	136.01( 3.8%)	139.63( 3.9%)	141.10( 4.0%)
Total	3551.28(100.0%)	3552.69(100.0%)	3553.30(100.0%)	3556.71(100.0%)	3557.82(100.0%)
SW_Storage_Change	-39.00( -1.1%)	-36.90( -1.0%)	-38.70( -1.1%)	-38.50( -1.1%)	-37.60( -1.1%)
RESIDUAL	-0.50( -0.0%)	-0.59( -0.0%)	-0.64( -0.0%)	-0.51( -0.0%)	-0.52( -0.0%)