

Annual Average Lake Okeechobee Inflows/Outflows for Selected Drought Years (71,75,81,85,89) in 1,000 acft

	a-0407	aL-1020	m-0621	m-1020	mL-1020
Inflows					

Rainfall	1421.68(60.2%)	1421.68(60.1%)	1421.68(60.2%)	1421.68(60.1%)	1421.68(60.0%)
MDSNET	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)	-42.02(-1.8%)
Kissimmee_Inflows	485.64(20.6%)	485.64(20.5%)	485.64(20.6%)	485.64(20.5%)	485.64(20.5%)
TaylorCrk_Inflows	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)	84.87(3.6%)
TayCrkRes_Inflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
ASR_To_LOK	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Backflows	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)	105.98(4.5%)
Caloos_Backflows	48.36(2.0%)	51.77(2.2%)	49.67(2.1%)	54.31(2.3%)	54.42(2.3%)
Eaa_Back_Pumping	46.71(2.0%)	47.90(2.0%)	46.89(2.0%)	46.74(2.0%)	47.90(2.0%)
C43_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
C44_Reservoir	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
L8_Backflows	74.40(3.2%)	73.68(3.1%)	74.36(3.1%)	74.05(3.1%)	74.50(3.1%)
S309_Backflows	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
UpIstokp_Inflows	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)	69.10(2.9%)
Other_Inflows	66.27(2.8%)	67.24(2.8%)	66.40(2.8%)	66.98(2.8%)	67.32(2.8%)
Total	2361.00(100.0%)	2365.85(100.0%)	2362.57(100.0%)	2367.33(100.0%)	2369.39(100.0%)
Outflows					

ET	2047.60(68.5%)	2049.50(67.2%)	2045.44(68.6%)	2046.36(67.7%)	2045.24(67.3%)
StLucie_Regulatory	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
StLucie_Ag_Dmds	39.64(1.3%)	40.93(1.3%)	39.36(1.3%)	39.96(1.3%)	40.90(1.3%)
StLuci_Estuary_Min	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Caloos_Regulatory	3.10(0.1%)	3.06(0.1%)	3.08(0.1%)	3.04(0.1%)	3.04(0.1%)
Caloos_Ag_Dmds	167.33(5.6%)	169.36(5.6%)	166.29(5.6%)	168.47(5.6%)	169.31(5.6%)
Caloos_Estuary_Min	52.09(1.7%)	61.86(2.0%)	52.26(1.8%)	57.92(1.9%)	57.55(1.9%)
Reg_to_EAA_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Regulatory_to_Wcas	37.83(1.3%)	23.44(0.8%)	38.05(1.3%)	23.75(0.8%)	23.75(0.8%)
Exc_Wat_StLuc_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Exc_Wat_Caloo_Res	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Water_Supp_to_EAA	390.52(13.1%)	400.00(13.1%)	387.94(13.0%)	384.58(12.7%)	399.86(13.2%)
Water_Supp_to_LEC	74.72(2.5%)	110.97(3.6%)	75.35(2.5%)	112.67(3.7%)	108.99(3.6%)
Water_Supp_Glades	3.88(0.1%)	10.97(0.4%)	3.64(0.1%)	11.26(0.4%)	10.62(0.3%)
Water_Supp_to_STAs	2.77(0.1%)	3.04(0.1%)	2.71(0.1%)	3.22(0.1%)	3.03(0.1%)
Reg_L8_Tide					
L8_Basin_Ag_Dmds					
North_Storage	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
LOK_To_ASР	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)	0.00(0.0%)
Other_Outflows	168.91(5.7%)	174.90(5.7%)	167.23(5.6%)	171.05(5.7%)	174.67(5.8%)
Total	2988.38(100.0%)	3048.03(100.0%)	2981.35(100.0%)	3022.27(100.0%)	3036.94(100.0%)
SW_Storage_Change	-736.58(-31.2%)	-785.38(-33.2%)	-727.68(-30.8%)	-755.74(-31.9%)	-766.20(-32.3%)
RESIDUAL	109.20(4.6%)	103.20(4.4%)	108.90(4.6%)	100.80(4.3%)	98.65(4.2%)